Annual Index

Volume 69
1992

Subject

1(3)-*RAC*-MONOACYLGLYCEROLS,
lipase-catalyzed synthesis, of, 961
10-UNDECENOIC ACID,
synthesis of, *r,s*-muscone, from, 837
1,3-*SN*-DIACLYGLEROLS,
lipase-catalyzed, synthesis, 955
^{13}C NMR,
characterization, trimethylol, propane ester lubricants, 352
15-, 16- AND 17-HYDROXY-9-OCTADECENOIC ACIDS,
production of, by bioconversion of oleic acid with *Bacillus pumilus*, 363
2-ACETOACETOXYETHYL METHACRYLATE,
effect, on, methyl linolenate oxidation and yellowing, 338
2-METHYLALKANOATES,
lipase-catalyzed enantioselective, acidolysis, 146
5,8,11-*CIS*-EICOSTRIENOIC ACID,
production of, Δ12-desaturase, defective mutant of, 939
7,10-DIHYDROXY-8(E)-OCTADECENOIC ACID,
stereochemistry, and, derivative, 7-10-dihydroxyoctadecanoic acid, 367
9-OCTADECEN-1-0L,
oleic acid, selective hydrogenation, 410

A

A PALM OIL,
mill, recovery of residual oil, centrifuge sludge, effect of enzyme digestion and surfactant treatment, 276
A RAPID METHOD FOR DETERMINING,
oxidation, n-3 fatty acids, 325
A NEW TWIN-SCREW PRESS DESIGN,
oil extraction, dehulled, sunflower seeds, 884
ACETAL SUFACTANTS,
sulfated 2-*n*-alkyl-5-hydroxymethyl-5-methyl-1,3-dioxanes, 633
ACID-ACTIVATED CLAY,
chlorophyll adsorption on, 948
ACIDIC ETHANOL,
extraction, cottonseed, 951
ACIDOLYSIS,
lipase-catalyzed enantioselective, chiral, 2-methylalkanoates, 146
ACTION OF CHLOROPHYLLS ON,
stability, virgin, olive oil, 866
ACTIVE,
filter aids, adsorptive capacity, used cooking oil, 894
ADSORPTION,
fat, sugar, dispersions, influence, food emulsifiers, 705
ADSORPTION ISOTHERMS OF,
pigments, alkali-refined vegetable, oils, clay minerals, 372
ADSORPTIVE BLEACHING,
soybean oil, non-montmorillonite, Zambian clays, 379
ADSORPTIVE CAPACITY,
active, filter aids, used cooking oil, 894
AFLATOXIN PRODUCTION,
inhibition of, *Aspergillus flavus*, by cotton ovule extracts, 945
AFLATOXINS,
adsorptive removal, 1154
ALCOHOL ETHOXYLATES,
analysis by chromatographic methods, 599
ALCOHOLS,
peroxide synthesis from, 151
ALCOHOLYSIS,
acid-catalyzed, *Vernonia galamensis* oil, 1023
ALKALI-REFINED VEGETABLE,
oils, adsorption isotherms of, clay minerals, 372
ALKENES,
peroxide synthesis from, 151
ALKYL GLYCOSIDES,
emulsifying power of alkyl glycoside polyesters, 14
ALKYL HALIDES,
peroxide synthesis from, 151
ALTERNATIVE EXTRACTION EFFECTS,
free fatty acids, phosphorus, oils, from, damaged and undamaged, soybeans, 1141
AMIDINATION,
lipase, with, hydrophobic imidoesters, 579
AMINO ACIDS,
crude, tallow, fate of minor, steam splitting, 1043
AMINOACID SURFACTANTS,
N-lauroyl dipeptide diethanolamides, 643
Nα-lauroyl-L-arginine dipeptides, acidic and basic, 647
ANALYSIS,
automatic headspace analysis as method for studying solubilization behavior, 34
ANALYSIS,
of optical brighteners in laundry detergents by TLC and HPLC, 621
of fragrances, in soap by headspace gas chromatography, 614
of quaternary ammonium surfactants by HPLC, 609
comparison of high-temperature gas chromatography and CO_2 supercritical chromatography in analysis of alcohol ethoxylates, 599
ANALYSIS OF,
beef phospholipids, HPLC, evaporative light scattering detector, soybean lecithins, 784
AND TRIGLYERIDE,
olestra, comparison, used frying oils, 509
ANHYDROUS ESTERIFICATION OF,
myristic acid with propylene, ion exchange resin and acid-treated clay as catalysts, 1251
ANTIBACTERIALS,
diethanolamides of N-lauroyl dipeptides, 643
ANTIMICROBIAL AGENTS,
long-chain derivatives, hexahydrothioxotetrazine moiety, 1160
ANTIOXIDANT ACTIVITY,
in leaves, Mediterranean plants, 1269
ANTIOXIDANT PROPERTIES,
ethoxyquin, and, oxidation products, fish oil and meal, 806
phospholipids, in a salmon oil model system, 545
ANTIOXIDANTS,
fish oil, 810
ANTIOXIDATIVE ACTION,
Maillard reaction volatiles, influence of Maillard solution, browning level, 331
ANTIOXIDATIVE COMPONENT,
peanut hulls, extraction, identification, of, 814
APRICOT,
meal, characterization of, seed oil, 492
ARGANIA SPINOSA SEED OIL,
triacylglycerol, structure of, positional analysis, 141
ASSOCIATION,
of nonionic polymer with hydrocarbon/flurocarbon surfactants, 64
AUTOXIDIZED MARINE OILS,
chemiluminescence, oxidative rancidity, assessement, method, 1108

B

BATCH REACTOR,
hydrogenation, ultrasonic *vs.* nonultrasonic, 876
BEECHNUT OIL (*FAGUS ORIENTALIS* LIPSKY),
Turkish origin, characteristics, 1274
BEEF PHOSPHOLIPIDS,
analysis of, HPLC, evaporative light scattering detector, 784
BILAYER FILMS,
effect of relative humidity gradient, on water vapor permeance, 1081
BIODEGRADATION OF,
Vernonia galamensis seed oil, by, acinetobacter, and *Pseudomonas* sp., 1046
BIOSURFACTANTS,
antifungal lipopeptides produced by *Bacillus subtilis*, 92
sophorose lipids by *Torupolis bombicola* fermentation of glucose and safflower oil, 89
BIPHASIC MACROEMULSIONS,
NMR assay, lipase activity, 295
BLEACHING,
rice bran oil, silica gel, 1257
of, triglyceride oils, thermodynamic limitations, for, pigment adsorption, 1009
BLEACHING OF,
alkali-refined, vegetable oils, clay minerals, 232
BLENDS OF PALM OIL,
with soybean oil, resistance to crystallization, 1206
BROWN RICE PRODUCTS,
ethanol, stabilized, 205
BUTTERFAT,
crystallization, kinetics, 741
racemic lactones, stereodifferentiation, 797
BUTYLATED HYDROXYTOLUENE,
phenoxy radical, chemistry, 461

C

CANARIUM SCHWEINFURTHII ENGL.,
chemical composition, of the fruit pulp, 317
CANAVALIA ENSIFORMIS NEUTRAL LIPIDS A,
source of, lupeol, 495
CANOLA,
phenolics, chemical sensory and nutritional significance, 917
CANOLA MEAL,
processing of, trout, salmon diets, 213
CANOLA OIL,
modelling, temperature dependence, kinematic viscosity, 1054
CANOLA SEED,
characterization of, chlorophyll pigments, meal, oil, 564
effect of freezing, chlorophyll content, 1039
CARBOHYDRATE FATTY ACID POLYESTERS,
emulsifying power of methyl glucoside polyesters, 9
CASTOR OILSEED MEAL,
galactinol, from, isolation and identification, 569
CATALYTIC TRANSFER,
hydrogenation, soybean oil, 405
CELLULOSE,
removal, sunflower meal, 890
CHARACTERISTICS OF,
bread, buns, made with, lard, vegetable, oils of, different iodine values,794
CHEESE ANALOGS,
textural properties, 755
CHEMICAL AND PHYSICAL CHANGES,
cottonseed oil, during, deodorization, 392
CHEMICAL AND PHYSICAL PROPERTIES,
solid fats, in commerical soft, margarines, 1198
CHEMILUMINESCENCE,
oxidative rancidity, assessment, method, autoxidized marine oils, 1108
CHEMOTAXONOMIC APPROACH PROTECTS AGAINST MISTAKES,
polyunsaturated fatty acid analyses in plants, 598
CHERRY,
meal, characterization of, seed oil, 492
CHERRY SEED OIL,
fatty acids, triacylglycerols, 1224
CHLOROPHYLL ADSORPTION ON,
acid-activated clay, 948
CHLOROPHYLL CONTENT,
canola seed, *Brassica napus* L., effect of freezing, 1039
CHLOROPHYLL PIGMENTS,
oil, characterization, canola seed, characterization of, meal, 564
CHOLESTEROL OXIDATION PRODUCTS,
gamma-irradiation, 451
CHROMATOGRAPHY,
high-performance size-exclusion, lipid classes, by, solid-phase extraction, 772
CMC,
effect of cosolvents, 34
of surfactant mixtures, 25
COCOA BUTTER-LIKE FAT,
from, enzymatically interestified, plam olein, 137
COMPARATIVE STUDY BETWEEN BIOREFINING COMBINED WITH OTHER,
processes, physical refining of, high-acid, mohua oil, 1146
COMPOSITION OF,
American distilled, tall oils, 321
COMPUTER MODELING,
packing arrangements, transitions, saturated-*cis*-unsaturated mixed triglycerides, 429
CONCENTRATION OF,
docosahexaenoic acid in glyceride, by hydrolysis of fish oil, *Candida cylindracea* lipase, 1210
CONFECTIONERY FATS,
differential scanning calorimetry, effects of blends and minor components, 992
CONJUGATED,
linoleic acid, processed cheese, 425
CONTINUOUS HYDROGENATION,
vegetable oils, reactors equipped with static mixers, 384
CONTROLLED ATMOSPHERE,
quality of olive oils, from, olives stored under, 1215
CORN,
characterization of, protein, flaked defatted, 199
CORN GERM,
kinetics of, oil extraction, 471
CORN GLUTEN MEAL,
enzyme-modified proteins, preparation and functional properties, 1163
COTTONSEED,
acidic ethanol, extraction, 951
COTTONSEED OIL,
chemical and physical changes, during, deodorization, 392
CRYSTALLIZATION,
butterfat, 741
CRYSTALLIZATION BEHAVIOR,
cooling rate, hydrogenated, sunflowerseed oil, 898
CRYSTALLIZATION KINETICS,
polymorphism, tripalmitin, 906
CYCLOPINOLENIC ACIDS,
synthesis, derivatives, and thermal properties, 1027
CYRPTOLEPIS BUCHNANI SEED OIL,
a rich source of, keto fatty acid, 188

D

DATE PALM,
Phoenix dactylifera L., seeds, seed oil, characteristics and some potential applications, 595
DEEP FRYING,
volatile compounds in oils, subsequent storage, 858

DEHULLING OF,
palm kernel of oil palm (*Elaesis guineensis*), superior-grade, palm kernel flour and oil, 1015
DENSITIES,
vegetable oils, fatty acids, 1184
DEODORIZATION,
chemical and physical changes, cottonseed oil, 392
effects of, parameters, on, finished oil quality, 1003
DESORPTION,
mass spectrometry, olestra, 760
DETECTION OF OLIVE OIL ADULTERATION,
canola oil, triacylglycerol analysis by reversed-phase, HPLC, 935
DETERGENCY,
of linear alkylbenzenesulfonate in combination with STPP or zeolite at different water hardnesses, 678
of α-sulfo fatty acid methyl esters, 672
DETERMINATION OF,
tocopherols, vegetable oils, square-wave voltammetry, 456
DETERMINATION OF DOUBLE-BOND POSITIONS,
mass spectral studies of deuterium-labelled picolinyl fatty esters, 1245
tetrachloroethylene, results of a collaborative study, 789
DIELECTRIC PROPERTIES,
monitoring, quality, heated oils, 872
DIFFERENTIAL SCANNING CALORIMETRY,
of, confectionery fats, effects of blends and minor components, 992
DIFFUSION,
of sodium dodecyl sulfate through collagen film, 20
of surfactant mixtures through collagen film, 25
DIGESTIBILITY,
fatty acid polymers, 930
DIGESTIBILITY OF,
fatty acid, monomers, dimers, polymers, in the rat, 930
DISPERSIONS,
fat, sugar, in oils, 705
prediction of physical stability by rheology, 71
DOCOSAHEXAENOIC,
incorporation of, acids, into groundnut oil, by lipase-catalyzed ester interchange, 1041
DOCOSAHEXAENOIC ACID IN GLYCERIDE,
concentration of, by hydrolysis of fish oil, *Candida cylindracea* lipase, 1210

E

EDIBLE FATS,
determination of, *trans* monoenes, by TLC-GLC, 829
EFFECT OF AFTER-COOKING DARKENING INHIBITORS,
stability, frying, oil, quality of french fries, 847
EFFECT OF ENZYMATIC INTERESTERIFICATION,
melting point, tallow-rapeseed oil (lear) mixture, 126
EFFECT OF FEEDING,
soy products, varying trypsin inhibitor, growth of, shrimp, 209
EFFECT OF THIOANISOLE AND TRIMETHYLENE SULFIDE ON THE,
oxidation and yellowing, methyl linolenate, 1260
EFFECT OF TRIACYLGLYCEROL COMPOSITION AND STRUCTURES,
oxidative, stability, soybean, oils, 111
EFFECT OF VARIOUS,
packaging materials on, storage stability, refined bleached deodorized, palm oil, 854
EFFECT OF WATER ACTIVITY,
secondary products formation, in autoxidizing, methyl linoleate, 178
EFFECTS OF,
minor compounds, hydrogenation rate, soybean oil, 880
phospholipids, lipid oxidation, salmon oil model system, 237
EGG YOLK,
supercritical CO_2, impact of, temperature, and entrainer on residual protein, 823
EICOSAPENTAENOIC,
acids, incorporation of, into groundnut oil, by lipase-catalyzed ester interchange, 1041
EICOSAPENTAENOIC ACID PRODUCTION,
Phaeodactylum tricornutum, batch, continuous culture systems, 584
EMULSIFIERS,
α-sulfonated fatty acid esters, 44
perfluoralkylated fatty acid monoesters of trehalose and sucrose, 1
polyoleates and polystearates, 9
alkyl glycoside polyesters, 14
EMULSIONS,
intravenously injectable, 1
carbohydrate fatty acid polyesters, 9
ENVIRONMENTAL MONITORING,
of alkylphenol ethoxylates, 695
ENZYMATIC ALCOHOLYSIS, 80
ENZYMATIC ESTERIFICATION OF GLYCEROL,
lipase-catalyzed synthesis, of, 1(3)-*rac*-monoacylglycerols, 961
lipase-catalyzed, synthesis, of, 1,3-*sn*-diacylglycerols, 955
ENZYMATIC GLYCEROLYSIS,
selective distribution of, saturated fatty acids, into, monoglyceride, 1098
ENZYMATIC SYNTHESIS,
monoglycerides, membrane bioreactor, 748
ENZYME-MODIFIED PROTEINS,
corn gluten meal, preparation and functional properties, 1163
EPOXIDATION,
kinetic studies, palm olein methyl esters, 347
EPOXIDIZED SOYBEAN OIL,
ion chromatographic determination of phosphorus and tungsten, 1248
EPOXY OLEIC ACID,
Quamoclit seed oils, 190
ETHOXYQUIN,
antioxidant properties, and, oxidation products, fish oil and meal, 806
EVALUATION OF,
bitter taste, virgin, olive oil, 394
EXPORTED PEANUTS,
quality factors in, from Argentina, China and the United States, 1032
EXTRACTION,
cottonseed, acidic ethanol, 951

F

FABRIC SOFTENERS,
alkyldimethylamine oxides as synergists with ditallowdimethylammonium quaternaries, 683
FAT AND SUGAR DISPERSIONS,
oils, rheology, colloidal forces, 718
oils, food emulsifiers, 728
FATS AND OILS,
quantitation and occurrence, hydroxy fatty acids, 170
modified moisture and volatile matter determination, 1275
FATTY ACID,
one-step extraction/methylation method, 174
monomers, dimers, polymers, digestibility of, in the rat, 930
FATTY ACID COMPOSITION,
melon seed, phospholipids, 314
FATTY ACID ESTERS,
partition coefficients, supercritical fluid CO_2, with, and without, ethanol, 305
FATTY ACID IDENTIFICATION IN PURSLANE,
Portulaca oleracea tissues, 193
FATTY ACID POLYMERS,
digestibility, 930
FATTY ACIDS,
supercritical fluid, extraction, chromatography, micro-extraction cell, 309
supercritical carbon dioxide, solubility of, 1069
normal saturated, unsaturated, quantitative structure-property relationships, 1263
densities, 1184

viscosities of, 1189
FATTY AMIDES,
preparation of, secondary, 488
FATTY ESTER SYNTHESIS,
enzymatic, 261
FATTY ESTERS,
synthesis and spectroscopic properties, of long-chain, azetidine, 359
FISH,
meal, current uses, oil, 221
FISH OIL,
lipid oxidation, with, antioxidative compounds, antioxidants, control of, 810
triacyl-*sn*-glycerols, stereospecific analysis, 417
FISH OIL AND MEAL,
antioxidant properties, ethoxyquin, and, oxidation products, 806
FLUOROSURFACTANTS,
6-*O*-[3′-(perfluorooctyl)propanoyl]-trehalose, perfluoroalkylated fatty acid monoesters of trehalose and sucrose, 1
lithium perfluorooctanesulfonate, 64, 81
FOOD EMULSIFIERS,
fat and sugar dispersions, oils, rheology, colloidal forces, 718
fat and sugar dispersions, oils, water content, purity of oils, 728
FORMATION OF,
trierucoylglycerol, from 1,2-dierucoylglycerol, by a homogenate, microspore-derived embryos of *Brassica napus*, l, 355
nonhydratable, soybean, phosphatides, 443
FREE FATTY ACIDS,
participation of, the oxidation, soybean oil, during microwave heating, 1136
phosphorus, oil, damaged and undamaged, alternative extraction effects, 1141
FREE MALONALDEHYDE,
analysis of, lipid peroxidation, pyrimidine derivative, 466
FRYING,
effect of after-cooking darkening inhibitors, stability, quality of french fries, 847
FUNCTIONAL PROPERTIES,
soy protein isolates, heat, treatment during isoelectric precipitation, 184
FURANOID FATTY ESTER,
synthesis of, dimethyl-substituted C_{18}, 485

G

GALACTINOL,
from, castor oilseed meal, isolation and identification, 569
GAMMA-IRRADIATION,
cholesterol oxidation products, 451
GAS CHROMATOGRAPHIC ANALYSIS,
eicosapentaenoic acid, docosahexaenoic acid, validation of a method, active ingredients in medical products, 1124
unsaponifiable, fraction of, different oils, polar capillary column, 447
GLC,
isopropyl esters, petroselinic (*cis*-6 18:1), oleic (*cis*-9 18:1) acids, separation of, 1228
GLUCOSE,
effect, on, methyl linolenate oxidation and yellowing, 338
GLYCEROL,
glucose, 2-acetoacetoxyethyl methacrylate, effect, on, methyl linolenate oxidation and yellowing, 338

H

HEATED OILS,
monitoring, quality, dielectric properties, 872
HEVEA BRASILIENSIS,
oil, catalytic conversion of, hydrocarbon fuels, 266
HIGH-PERFORMANCE SIZE-EXCLUSION,
chromatography, lipid classes, by, solid-phase extraction, 772
HIGH-TEMPERATURE STABILITY,
soybean oils, altered fatty acid compositions, 533
HPLC,
hydroxy and epoxy fatty acids, separation and quantitation of, 301
analysis, phospholipids, evaporative laser light-scattering detection, 438
polar components, sunflower, oil used for frying, 557
analysis of, beef phospholipids, soybean lecithins, 784
HYDRATION OF INORGANIC SOLID POWER,
polar and nonpolar oil, 925
HYDRAZO-AZO TAUTOMERISM, 80
HYDROCARBON FUELS,
catalytic conversion of, *Virola sebifera*, oil, *Hevea brasiliensis*, 266
HYDROGEN-BONDING,
prediction of activity coefficients in, soybean oil, from inverse gas chromatographic data, 1236
HYDROGENATED FATS,
detection of, interestified fats, in, 1051
HYDROGENATED OILS,
partially, positional and geometrical isomers of linoleic acid, 95
HYDROGENATION,
batch reactor, ultrasonic *vs.* nonultrasonic, 876
soybean oil, electrocatalytic, 399
soybean oil, catalytic transfer, 405
HYDROLYSIS,
and acylation, phospholipid by lipase in isooctane, effect of, 2,4,6,8-tetramethyldecanoic acid, 826
HYDROTROPY,
alkyldiphenylether disulfonates, 30
C_{21}-dicarboxylic acid soaps, 52
HYDROXY FATTY ACIDS,
in, fats and oils, quantitation and occurrence, 170
from, lesquerella oil, recovery of, 982

I

IN LARD,
effect of, primary, antioxidants, synergists, activity, of plant extracts, 520
IN WHEAT FLOUR,
major glycolipids, individual molecular species, 1019
INCORPORATION OF,
eicosapentaenoic, docosahexaenoic, acids, into groundnut oil, by lipase-catalyzed ester interchange, 1041
INHIBITION OF,
aflatoxin production, *Aspergillus flavus*, by cotton ovule extracts, 945
INTERESTIFIED FATS,
detection of, in, hydrogenated fats, 1051
IODINE VALUE,
determination of fats and oils, attenuated total reflectance/Fourier transform infrared spectroscopy, rapid and direct, 1118
ION CHROMATOGRAPHIC DETERMINATION OF PHOSPHORUS AND TUNGSTEN,
epoxidized soybean oil, 1248

J

JOJOBA OIL ANALOG,
oleyl oleate, synthesis of, 1150

K

KETO FATTY ACID,
Cyrptolepis buchnani seed oil, 188
KETO FATTY ACIDS,
derivatization of, synthesis of, methyl, 396
KILOGRAM-SCALE ESTER SYNTHESIS,
of, acyl donor, lipase-catalyzed interesterifications, 966

KINEMATIC VISCOSITY,
temperature dependence, canola oil, 1054
KINETIC STUDIES,
epoxidation, oxirane cleavage, palm olein methyl esters, 347
KINETICS,
continuous hydrolysis, tallow, immobilized-lipase reactor, 591
butterfat, crystallization, 741
KINETICS OF,
oil extraction, corn germ, 471
KINETICS OF HYDROLYSIS OF,
Nigella sativa (black cumin) seed oil, by native lipase in ground seed, 1239

L

LAMPANTE,
olive oil, refining, supercritical carbon dioxide, 477
LESQUERELLA OIL,
recovery of, hydroxy fatty acids, from, 982
LINOLEIC,
acid, microbial conversion, of, unsaturated hydroxy fatty acids, 575
LINOLEIC ACID,
trans isomers, 106
conjugated, processed cheese, 425
LINOLENIC,
acid, microbial conversion, of, unsaturated hydroxy fatty acids, 575
LINOLENIC ACID,
trans isomers, 106
LIPASE,
amidination, with, hydrophobic imidoesters, 579
LIPASE ACTIVITIES,
screening of, Agricultural Research Service culture collection, 1088
LIPASE ACTIVITY,
NMR assay, biphasic macroemulsions, 295
LIPASE-CATALYZED,
synthesis, of, 1,3-*sn*-diacylglycerols, 955
LIPASE-CATALYZED ENANTIOSELECTIVE,
acidolysis, chiral, 2-methylalkanoates, 146
LIPASE-CATALYZED INTERESTERIFICATIONS,
kilogram-scale ester synthesis, of, acyl donor, 966
LIPASE-CATALYZED SYNTHESIS,
of, 1(3)-*rac*-monoacylglycerols, 961
LIPASES,
recovery of, hydroxy fatty acids, from, lesquerella oil, 982
LIPID,
hydroperoxide, determination, spectrophotometric method, 777
effects of, rosemary extracts, 999
bilayer films, effect of relative humidity gradient, on water vapor permeance, 1081
LIPID CLASSES,
by, solid-phase extraction, high-performance size-exclusion, chromatography, 772
LIPID EXTRACTION,
faster and easier methods, quantitative, fractionation, from miniature samples of animal tissues, 243
LIPID-HYDROCOLLOID,
bilayer films, effect of relative humidity gradient, on water vapor permeance, 1081
LIPID OXIDATION,
fish oil, with, antioxidative compounds, control of, 810
salmon oil model system, phospholipids, effects of, 237
LIPID PEROXIDATION,
analysis of, free malonaldehyde, pyrimidine derivative, 466
LIPID PROFILE,
process streams of, palm oil mill, 283
LIQUID DETERGENTS,
application of Placket-Burman design and linear programming, 690
LONG-CHAIN DERIVATIVES,
hexahydrothioxotetrazine moiety, antimicrobial agents, 1160
LUPEOL,
Canavalia ensiformis neutral lipids a, 495

M

MAILLARD REACTION VOLATILES,
antioxidative action, influence of Maillard solution, browning level, 331
MAJOR GLYCOLIPIDS,
individual molecular species, in wheat flour, 1019
MARGARINES,
in commerical soft, chemical and physical properties, solid fats, 1198
MASS SPECTROMETRY,
desorption, olestra, 760
MASS SPECTRAL STUDIES OF DEUTERIUM-LABELLED PICOLINYL FATTY ESTERS,
determination of double-bond positions, 1245
MEADOWFOAM,
oleic acids, into estolides, thermal high-pressure conversion, 1177
MEDITERRANEAN PLANTS,
antioxidant activity, in leaves, 1269
METHYL LINOLEATE,
effect of water activity, secondary products formation, in autoxidizing, 178
MELON SEED,
phospholipids, oil, fatty acid composition, 314
MELTING POINT,
tallow-rapeseed oil (lear) mixture, effect of enzymatic interesterification, 126
METHYL,
hexahydro-3-alkyl-6-thioxo-1,2,4,5-tetrazine-3-alkanoates, synthesis of, derivatization, keto fatty acids, 396
METHYL HEXAHYDRO-3-METHYL-6-THIOXO-1,2,4,5-TETRAZINE-3-NONANOATE,
novel derivatives, 481
METHYL LINOLENATE OXIDATION AND YELLOWING, 338
METHYL OLEATE,
ozonolysis, peroxidic species generated, carboxylic acid medium, 159
METROHM RANCIMAT,
temperature effects, determination of, oxidative stability, 525
MICRO-EXTRACTION CELL,
supercritical fluid, extraction, chromatography, fatty acids, 309
MOHUA OIL,
high-acid, comparative study between biorefining combined with other, processes, physical refining, 1146
MOLAL VOLUMES,
n-fatty acids, ethyl, esters, methyl, 734
MONOGLYCERIDE,
selective distribution of, saturated fatty acids, during enzymatic glycerolysis, 1098
MONOGLYCERIDES,
lipase G-catalyzed synthesis of, in organic solvent, analysis by HPLC, 257
membrane bioreactor, enzymatic synthesis, 748
MONOMERS,
meadowfoam, thermal high-pressure conversion, characterization of, oleic acids, into estolides, 1177
MYRISTIC ACID WITH PROPYLENE,
anhydrous esterification of, ion exchange resin and acid-treated clay as catalysts, 1251

N

N-3 FATTY ACIDS,
oxidation, a rapid method for determining, 325
N-3 POLYUNSATURATED FATTY ACID-ENRICHED FISH OIL,
production of, by lipase-catalyzed acidolysis, without solvent, 1104
N-ALKANOIC,
methyl esters, viscosities, densities, 155
N-FATTY ACIDS,
esters, molal volumes, 734
NEAR-INFRARED TRANSMISSION SPECTROSCOPY,
nondestructive single-kernel oil determination, maize, 1036

NECTARINE,
seed oil, characterization, meal, 492
NEUTRON DIFFRACTION STUDIES,
liquid and crystalline, trialurin, 130
NIGELLA SATIVA (BLACK CUMIN) SEED OIL,
kinetics of hydrolysis of, by native lipase in ground seed, 1239
NMR,
assessment, oxidative deterioration of, salted dried fish, 1157
tripalmitin, molecular motion, 1057
NMR ASSAY,
lipase activity, biphasic macroemulsions, 295
NON-MONTMORILLONITE,
Zambian clays, adsorptive bleaching, soybean oil, 379
NONDESTRUCTIVE SINGLE-KERNEL OIL DETERMINATION,
maize, by near-infrared tranmission spectroscopy, 1036
NONPOLAR AND POLAR,
lipid classes, optimized separation, from wheat flour, solid-phase extraction, 387
NORMAL SATURATED,
unsaturated, fatty acids, 1263
NOVEL DERIVATIVES,
methyl hexahydro-3-methyl-6-thioxo-1,2,4,5-tetrazine-3-nonanoate, 481

O

OAT SEED LIPASE,
positional, and, fatty acid selectivity, 978
OF PLANT EXTRACTS,
activity, in lard, 520
OIL EXTRACTION,
corn germ, kinetics of, 471
sunflower seeds, a new twin-screw press design, 884
OLEIC ACID,
ozonolysis, peroxidic species generated, carboxylic acid medium, 159
selective hydrogenation, 9-octadecen-1-ol, 410
OLEIC (*CIS*-9 18:1),
GLC, separation of, isopropyl esters, 1228
OLESTRA,
desorption, mass spectrometry, 760
OLEYL OLEATE,
synthesis of, jojoba oil analog, 1150
OLIGOPOLYMER,
olive oil quality, 1219
OLIVE OIL,
extra virgin, kinetics of, pheophytin-a photodecomposition, 469
virgin, stability, action of chlorophylls on, 866
virgin, evaluation of, bitter taste, 394
lampante, refining, supercritical carbon dioxide, 477
triacylglycerol structure, silver ion HPLC, stereospecific analysis, 552
OLIVE OIL QUALITY,
oligopolymer, diglyceride, oxidized, triglyceride, content, measures of, 1219
OLIVES STORED UNDER,
controlled atmosphere, quality of olive oils, from, 1215
ONE-STEP EXTRACTION/METHYLATION METHOD,
fatty, acid composition of processed foods, 174
OPTIMIZED SEPARATION,
nonpolar and polar, lipid classes, from wheat flour, solid-phase extraction, 387
OXIDATION,
effects of, rosemary extracts, on, 999
n-3 fatty acids, a rapid method for determining, 325
OXIDATIVE,
stability, soybean, oils, 111
OXIDATIVE DETERIORATION OF,
salted dried fish, assessment, by, NMR, 1157
OXIDATIVE RANCIDITY,
assessment, autoxidized marine oils, chemiluminescence, 1108
OXIDATIVE STABILITY,
Metrohm rancimat, determination of, temperature effects, 525
potato chips, determined by, rancimat, 335
OXIDATIVE STABILITY OF,
soybean oils, altered fatty acid, compositions, 528
OXIDIZED,
triglyceride, olive oil quality, 1219
OXIRANE CLEAVAGE,
kinetic studies, palm olein methyl esters, 347
OZONOLYSIS,
oleic acid, peroxidic species generated, carboxylic acid medium, methyl oleate, 159

P

PACKAGING MATERIALS ON,
effect of various, storage stability, refined bleached deodorized, palm oil, 854
PALM KERNEL FLOUR AND OIL,
dehulling of, palm kernel of oil palm (*Elaeis guineensis*), 1015
PALM OLEIN,
cocoa butter-like fat, from, enzymatically interestified, 137
PALM OLEIN METHYL ESTERS,
kinetic studies, epoxidation, oxirane cleavage, 347
PALM OIL,
continuous transmethylation, in, organic solvent, 166
refined bleached deodorized, effect of various, packaging material, storage stability, 854
granular crystals, fat blends, 1077
PALM OIL BLEACHABILITY,
effect of fruit storage, 1266
PALM OIL MILL,
lipid profile, process streams of, 283
PALM OIL QUALITY,
sensory with, chemical, 272
PARTITION COEFFICIENTS,
fatty acid esters, supercritical fluid CO_2, with, and without, ethanol, 305
PEACH,
meal, characterization of, seed oil, 492
PEANUT HULLS,
extraction, identification, of, antioxidative component, 814
PEROXIDE SYNTHESIS FROM,
alkyl halides, alcohols, alkenes, 151
PETROSELINIC (*CIS*-6 18:1),
GLC, separation of, isopropyl esters, 1228
PHASE EQUILIBRIA,
of water/aliphatic oil/sodium dodecyl sulfate/nonionic systems, 653
PHENOLICS,
canola, rapeseed, chemical sensory and nutritional significance, 917
PHENOXY RADICAL,
butylated hydroxytoluene, chemistry, 461
PHEOPHYTIN-A PHOTODECOMPOSITION,
kinetics of, extra virgin, olive oil, 469
PHOSPHATIDES,
formation of, nonhydratable, soybean, 443
PHOSPHATIDYLCHOLINE,
lipase-catalyzed, transesterification, of, at controlled water activity, 986
PHOSPHOLIPID ADSORPTION,
onto rice hull ash, from, soy oil miscellas, 1049
PHOSPHOLIPIDS,
HPLC, analysis, evaporative laser light-scattering detection, 438
effects of, lipid oxidation, salmon oil model system, 237
crude, tallow, fate of minor, steam splitting, 1043
antioxidant properties, in a salmon oil model system, 545
PIGMENTS,
adsorption isotherms of, alkali-refined vegetable, oils, clay minerals, 372
PINOLENIC ACID,
separation and purification of, by the, iodolactonization method, 832
PLUM,
seed oil, characterization of, meal, 492

POLAR AND NONPOLAR OIL,
hydration of inorganic solid power, 925
POLYMERS,
association with hydrocarbon/fluorocarbon surfactants, 64
dimethylpolysiloxane/propylpolyoxyethylene, 80
POLYMORPHIC STABILITY,
shortenings, effect of, solid phase, composition, 246
POLYMORPHISM,
crystallization kinetics, tripalmitin, 906
POLYUNSATURATED FATTY ACID ANALYSES IN PLANTS,
chemotaxonomic approach protects against mistakes, 598
PORTULACA OLERACEA TISSUES,
fatty acid identification in purslane, 193
POSITIONAL,
and, fatty acid selectivity, of, oat seed lipase, in, aqueous emulsions, 978
POSITIONAL AND GEOMETRICAL ISOMERS OF LINOLEIC ACID,
partially, hydrogenated oils, 95
POTATO CHIPS,
oxidative stability, determined by, rancimat, 335
PREPARATION OF,
secondary, fatty amides, 488
PROCESSED CHEESE,
conjugated, linoleic acid, 425
PROCESSING OF,
canola meal, trout, salmon diets, 213
PRODUCTION OF,
15-, 16- and 17-hydroxy-9-octadecenoic acids, by bioconversion of oleic acid with *Bacillus pumilus*, 363
5,8,11-*cis*-eicosatrienoic acid, Δ12-desaturase, defective mutant of, *Mortierella alpina* 1S-4, 939
n-3 polyunsaturated fatty acid-enriched fish oil, by lipase-catalyzed acidolysis, without solvent, 1104
PROPIONIBACTERIUM ACIDI-PROPIONICI,
purification and properties, of, lipase, from, 974
PURIFICATION AND PROPERTIES,
of, lipase, from, *Propionibacterium acidi-propionici*, 974
PYRIMIDINE DERIVATIVE,
free malonaldehyde, lipid peroxidation, analysis of, 466

Q

QUALITY OF OLIVE OILS,
from, olives stored under, controlled atmosphere, 1215
QUALITY FACTORS IN,
exported peanuts, from Argentina, China and the United States, 1032
QUALITY OF FRENCH FRIES,
effect of after-cooking darkening inhibitors, stability, frying, 847
QUAMOCLIT SEED OILS,
epoxy oleic acid, 190
QUANTITATION AND OCCURRENCE,
hydroxy fatty acids, in, fats and oils, 170
QUANTITATIVE STRUCTURE-PROPERTY RELATIONSHIPS,
normal saturated, unsaturated, fatty acids, 1263

R

RACEMIC LACTONES,
from, butterfat, stereodifferentitation, 797
RANCIMAT,
oxidative stability, potato chips, determined by, 335
RANDOMIZATION,
effect of, on, stability, blends, trioleoylglycerol, and, linseed oil, 538
RAPESEED,
oils, *trans*-polyunsaturated fatty acids, 106
phenolics, chemical sensory and nutritional significance, 917
modern processing, 195
REFINING,
lampante, olive oil, supercritical carbon dioxide, 477
RESISTANCE TO CRYSALLIZATION,
blends of palm olein, with soybean oil, stored at various temperatures, 1206
RESTRICTION FRAGMENT LENGTH POLYMORPHISM ANALYSIS,
soybean fatty acid content, 1242
RHEOLOGY,
colloidal forces, food emulsifiers, fat and sugar dispersions, oils, 718
of sucrose ester/water systems, 661
food emulsifiers, fat and sugar dispersions, oils, 728
RICE BRAN OIL,
bleaching, silica gel, 1257
ROSEMARY EXTRACTS,
effects of, on, oxidation, lipid, 999
R,S-MUSCONE,
synthesis of, from, 10-undecenoic acid, 837

S

SAPONIFICATION NUMBER,
determination of fats and oils, attenuated total reflectance/Fourier transform infrared spectroscopy, rapid and direct, 1118
SATURATED-*CIS*-UNSATURATED MIXED TRIGLYCERIDES,
computer modeling, packing arrangements, transitions, 429
SEDIMENTATION,
fat, sugar, dispersions, influence, food emulsifiers, 705
SEED FLOUR,
dehulled, functional properties, 819
SELECTIVE HYDROGENATION,
oleic acid, 9-octadecen-1-ol, 410
sunflower seed oil, a new catalyst, 802
SEMI-VOLATILE,
volatile compounds, formed by degradation, triglycerides, a pressurized reactor, 341
SENSORY WITH,
evaluation of, palm oil quality, 272
SEPARATION AND QUANTITATION OF,
hydroxy and epoxy fatty acids, HPLC, 301
SEQUENTIAL EXTRACTION PROCESS,
characterization of, protein, flaked defatted, corn, 199
SESAME OIL,
dry refining of, alkali-enriched sodium, metasilicate, 294
SHORTENINGS,
polymorphic stability, effect of, solid phase, composition, 246
commercial, characteristics and performance of, 912
SODIUM DODECYL SULFATE,
diffusion behavior in surfactant mixtures, 27
mixtures with volatile organics, 34
flux through collagen membrane, 20
SOLID-PHASE EXTRACTION,
lipid classes, 772
optimized separation, nonpolar and polar, lipid classes, from wheat flour, 387
SOLVENT POLARITY,
fractionation temperature, effect of, physicochemical, properties, squid viscera stearin, 1192
SOY PROTEIN ISOLATES,
textural properties, cheese analogs, enzyme-modified, 755
functional properties, heat, treatment during isoelectric precipitation, 184
SOY OIL MISCELLAS,
phospholipid adsorption, onto rice hull ash, from, 1049
SOY PRODUCTS,
effect of feeding, varying trypsin inhibitor, shrimp, growth of, 209
SOYBEAN,
oils, *trans*-polyunsaturated fatty acids, 106
oil volatiles, crude, effects of cultivar and tempering procedures, 841
phosphatides, formation of, nonhydratable, 443
oils, effect of triacylglycerol composition and structure, oxidative, 111
SOYBEAN FATTY ACID CONTENT,
restriction fragment length polymorphism analysis, 1242
SOYBEAN LECITHINS,

analysis of, HPLC, evaporative light scattering detector, 784
SOYBEAN OILS,
altered fatty acid, compositions, oxidative stability of, 528
prediction of activity coefficients, from inverse gas chromatographic data, 1236
the oxidation, participation of, free fatty acids, during microwave heating, 1136
isolation and quantitative determination of, sterol oxides, 288
hydrogenation, electrocatalytic, 399
hydrogenation, catalytic transfer, 405
adsorptive bleaching, non-montmorillonite, Zambian clays, 379
hydrogenation rate, effects of, minor compounds, 880
altered fatty acid compositions, high-temperature stability, 533
SOYBEAN PROTEINS,
steaming, trypsin inhibitors, 1170
SOYBEAN SEED,
protein, contents, drought, temperature, 228
SPECTROPHOTOMETRIC METHOD,
for, lipid, hydroperoxide, determination, 777
SQUARE-WAVE VOLTAMMETRY,
determination of, tocopherols, vegetable oils, 456
SQUID VISCERA STEARIN,
effect of, solvent polarity, fractionation temperature, 1192
STABILITY,
frying, oil, quality of french fries, effect of after-cooking darkening inhibitors, 847
STABILITY,
virgin, olive oil, action of chlorophylls on, 866
STEAM-REFINING,
effects of, parameters, on, finished oil quality, 1003
STEAM SPLITTING,
crude, tallow, amino acids, phosholipids, 1043
STEREOSPECIFIC ANALYSIS,
fish oil, triacyl-*sn*-glycerols, 417
STEROL OXIDES,
in plant-based foods, soybean oil, wheat flour, isolation and quantitative determination of, 288
STEROLS,
fatty acids, whisk fern *Psilotum nudum*, 1232
STIR FRYING,
volatile compounds in oils, subsequent storage, 858
SUCROSE ESTERS,
of perfluoroalkylated fatty acid monoesters of trehalose and sucrose, 1
emulsifying properties of polyoleates and polystearates, 9
SUNFLOWER,
oil used for frying, high-performance size-exclusion chromatographic studies, polar components, 557
SUNFLOWER MEAL,
cellulose, removal, 890
SUNFLOWER SEED OIL,
selective hydrogenation, a new catalyst, 802
SUNFLOWER SEEDS,
dehulled, a new twin-screw press design, oil extraction, 884
SUNFLOWERSEED OIL,
hydrogenated, crystallization behavior, cooling rate, 898
SUPERCRITICAL CARBON DIOXIDE,
solubility of, fatty acids, 1069
lampante, olive oil, refining, 477
SUPERCRITICAL CO_2,
egg yolk, impact of, temperature, and entrainer on residual protein, 823
SUPERCRITICAL FLUID,
chromatography, extraction, fatty acids, micro-extraction cell, 309
SUPERCRITICAL FLUID CO_2,
partition coefficients, fatty acid esters, with, and without, ethanol, 305
SURFACTANT INTERMEDIATES,
alkoxyalkyl substituted glycerol acetals, 639
SURFACTANTS, PREPARATIONS AND SURFACE PROPERTIES,
alkyldiphenylether disulfonates, alkyldiphenylether sulfonates, 30
alkyl ricinoleates, long-chain, 85
alkyl glycoside polyesters, 14
dodecyldimethylamine oxide, sodium dodecyl sulfate, 25
dodecyl betaine, nonylphenyl ethoxylate, sodium dodecyl sulfate, 20
alcohol ethoxylates, nonylphenylethoxylate, sodium dodecyl sulfate, 653
n-alkanesulfonates, by bisulfite addition to *α*-olefins, 47
alkylphenol ethoxylates, 695
polyethylene glyol bis(citric acid phthalate ester), self-sequestering, 60
sulfate 2-*n*-alkyl-5-hydroxymethyl-5-methyl-1,3-dioxanes, 663
sucrose stearate, 660
linear alkylbenzenesulfonate, 678
double- or triple-chain sulfonates, glycerol-based, 626
olefinsulfonate, 39
hydroxylalkanesulfonates, by falling-film sulfonation of internal olefins, 39
quaternary ammonium derivatives, 609
dimethylpoysiloxane derivative, sodium dodecyl sulfate, 80
N*α*-lauroyl-L-arginine dipeptides, acidic and basics, 647
α-sulfonated fatty acid esters, 44, 672
N-lauroyl dipeptide diethanolamides, 643
C_{21}-dicarboxylic acid soaps, 52
alkyldimethylamine oxides, 683
perfluoroalkylated fatty acid monoesters of trehalose and sucrose, 1
polyoleates and polystearates, 9
lithium dodecyl sulfate, 64
alkyl ricinoleates, sulfonated, 85
SYNTHESIS OF,
dimethyl-substituted C_{18}, furanoid fatty ester, 485

T

TALL OIL,
cyclopinolenic acids, synthesis, derivatives, and thermal properties, 1027
TALL OILS,
American distilled, composition of, 321
TALLOW,
crude, fate of minor, amino acids, phospholipids, steam splitting, 1043
TALLOW,
kinetics, continuous hydrolysis, immobilized-lipase reactor, 591
TALLOW-RAPESEED OIL (LEAR) MIXTURE,
effect of enzymatic interesterification, melting point, 126
TETRACHLOROETHYLENE,
determination of, results of a collaborative study, 789
TEXTURAL PROPERTIES,
cheese analogs, enzyme-modified, soy protein isolates, 755
TOCOPHEROL STABILITY,
vegetable, oils, microwave heating, influence of fatty acids, 119
TOCOPHEROLS,
determination of, vegetable oils, square-wave voltammetry, 456
TOXIC ALDEHYDES IN COD LIVER OIL,
after ultraviolet irradiation, 1254
TRANS ISOMERS,
linolenic acid, linoleic acid, 106
TRANS MONOENES,
edible fat, by TLC-GLC, 829
TRANS-POLYUNSATURATED FATTY ACIDS,
french edible, rapeseed, oils, 106
TRANSESTERIFICATION,
of, phosphatdiylcholine, lipase-catalyzed, at controlled water activity, 986
TRANSMETHYLATION,
palm oil, 166
TRIACYL-*SN*-GLYCEROLS,
fish oil, stereospecific analysis, 417
TRIACYLGLYCEROL ANALYSIS BY REVERSED-PHASE, HPLC,
detection of olive oil adulteration, canola oil, 935
TRIACYLGLYCEROL STRUCTURE,
of, olive oil, silver ion HPLC, stereospecific analysis, 552

TRIERUCOYLGLYCEROL,
formation of, from 1-2-dierucoylglycerol, by a homogenate, microspore-derived embryos of *Brassica napus*, l, 355
TRIGLYCERIDE COMPOSITION,
french butterfat, seasonal and regional variation, 1131
TRIGLYCERIDE OILS,
bleaching, thermodynamic limitations, for, pigment adsorption, 1009
TRIGLYCERIDES,
semi-volatile, volatile compounds, formed by degradation, a pressurized reactor, 341
liquid state, structure of, 835
TRILAURIN,
neutron diffraction studies, liquid and crystalline, 130
TRIMETHYLOL,
propane ester lubricants, ^{13}C NMR, characterization, 352
TRIOLEOYLGLYCEROL,
and, linseed oil, blends, effect of, randomization, on, stability, 538
TRIPALMITIN,
molecular motion, transitions, nuclear magnetic resonance, 1057
crystallization kinetics, polymorphism, 906

U

UNSAPONIFIABLE,
fraction of, gas chromatographic analysis, different oils, polar capillary column, 447
USED COOKING OIL,
adsorptive capacity, active, filter aids, 894
USED FRYING OILS,
characterization of, isolation, identification, of, compound classes, 499
comparison, of, olestra, and triglyceride, 509

V

VEGETABLE,
oils of, different iodine values, characteristics of, bread, buns, 794
oils, tocopherol stability, microwave heating, influence of fatty acids, 119
VEGETABLE OILS,
alkali-refined, bleaching of, clay minerals, 232
continuous hydrogenation, reactors equipped with static mixers, 384
determination of, tocopherols, square-wave voltammetry, 456
viscosities of, 1189
densities, 1184
VEGETABLE OIL-BASED PRINTING INKS, 251
VERNONIA GALAMENSIS OIL,
acid-catalyzed, alcoholysis, 1023
VERNONIA GALAMENSIS SEED OIL,
biodegradation of, by, acinetobacter, and *Pseudomonas* sp., 1046
VIROLA SEBIFERA,
oil, catalytic conversion of, hydrocarbon fuels, 266
VISCOSITIES,
densities, methyl esters, *n*-alkanoic, acids, 155
VISCOSITIES OF,
vegetable oils, fatty acids, 1189
VISCOSITY-STRUCTURE RELATIONSHIP,
triglyceride's solutions, correlation to retention time in reversed-phase liquid, chromatography, 1112
VITAMIN A ESTERS,
rapid synthesis and purification, 1272
VOLATILE COMPOUNDS IN OILS,
deep frying, stir frying, subsequent storage, 858

W

WHEAT FLOUR,
isolation and quantitative determination of, sterol oxides, 288
WHISK FERN *PSILOTUM NUDUM*,
fatty acids, sterols, 1232

Surfactants & Detergents

A

ACETAL SURFACTANTS,
sulfated 2-*n*-alkyl-5-hydroxymethyl-5-methyl-1,3-dioxanes, 633
ALCOHOL ETHOXYLATES,
analysis by chromatographic methods, 599
ALKYL GLYCOSIDES,
emulsifying power of alkyl glycoside polyesters, 14
AMINOACID SURFACTANTS,
Nα-lauroyl-L-arginine dipeptides, acidic and basic, 647
N-lauroyl dipeptide diethanolamides, 643
ANALYSIS,
comparison of high-temperature gas chromatography and CO_2 supercritical chromatography in analysis of alcohol ethoxylates, 599
of optical brighteners in laundry detergents by TLC and HPLC, 621
automatic headspace analysis as method for studying solubilization behavior, 34
of fragrances, in soap by headspace gas chromatography, 614
of quaternary ammonium surfactants by HPLC, 609
ANTIBACTERIALS,
diethanolamides of N-lauroyl dipeptides, 643
ASSOCIATION,
of nonionic polymer with hydrocarbon/flurocarbon surfactants, 64

B

BIOSURFACTANTS,
antifungal lipopeptides produced by *Bacillus subtilis*, 92
sophorose lipids by *Torupolis bombicola* fermentation of glucose and safflower oil, 89

C

CARBOHYDRATE FATTY ACID POLYESTERS,
emulsifying power, emulsifying power of methyl glucoside polyesters, 9
CMC,
effect of cosolvents, 34
of surfactant mixtures, 25

D

DETERGENCY,
of linear alkylbenzenesulfonate in combination with STPP or zeolite at different water hardnesses, 678
of α-sulfofatty acid methyl esters, 672
DIFFUSION,
of sodium dodecyl sulfate through collagen film, of sodium dodecyl sulfate, 20
of surfactant mixtures through collagen film, 25
DISPERSIONS,
prediction of physical stability by rheology, 71

E

EMULSIFIERS,
α-sulfonated fatty acid esters, 44
alkyl glycoside polyesters, 14
polyoleates and polystearates, 9
perfluoralkylated fatty acid monoesters of trehalose and sucrose, 1
EMULSIONS,
intravenously injectable, 1
carbohydrate fatty acid polyesters, 9
ENVIRONMENTAL MONITORING,
of alkylphenol ethoxylates, 695
ENZYMATIC ALCOHOLYSIS, 80

F

FABRIC SOFTENERS,
alkyldimethylamine oxides as synergists with ditallowdimethylammonium quaternaries, 683
FLUOROSURFACTANTS,
6-*O*-[3′-(perfluorooctyl)propanoyl]-trehalose, 1
lithium perfluorooctanesulfonate, 64, 81
perfluoroalkylated fatty acid monoesters of trehalose and sucrose, 1

H

HYDRAZO-AZO TAUTOMERISM,
80
HYDROTROPY,
alkyldiphenylether disulfonates, alkyldiphenylether sulfonates, 30
C_{21}-dicarboxylic acid soaps, 52

L

LIQUID DETERGENTS,
application of Placket-Burman design and linear programming, 690

P

PHASE EQUILIBRIA,
of water/aliphatic oil/sodium dodecyl sulfate/nonionic systems, 653
POLYMERS,
association with hydrocarbon/fluorocarbon surfactants, 64
dimethylpolysiloxane/propylpolyoxyethylene, 80

R

RHEOLOGY,
of sucrose ester/water systems, 661

S

SODIUM DODECYL SULFATE,
diffusion behavior in surfactant mixtures, 27
flux through collagen membrane, 20
mixtures with volatile organics, 34
SUCROSE ESTERS,
of perfluoroalkylated fatty acid monoesters of trehalose and sucrose, 1
emulsifying properties of polyoleates and polystearates, 9
SURFACTANT INTERMEDIATES,
alkoxyalkyl substituted glycerol acetals, 639
SURFACTANTS, PREPARATIONS AND SURFACE PROPERTIES,
olefinsulfonate, hydroxy alkanesulfonates, by falling-film sulfonation of internal olefins, 39
linear alkylbenzenesulfonate, 678

This index was prepared by Dr. Arno Cahn.

SUBJECT INDEX

N-lauroyl dipeptide diethanolamides, 643
perfluoroalkylated fatty acid monoesters of trehalose and sucrose, 1
lithium dodecyl sulfate, 64
polyoleates and polystearates, 9
sucrose stearate, 660
sulfate 2-*n*-alkyl-5-hydroxymethyl-5-methyl-1,3-dioxanes, 663
quaternary ammonium derivatives, 609
polyethylene glyol bis(citric acid phthalate ester), self-sequestering, 60
double- or triple-chain sulfonates, glycerol-based, 626
alkyl ricinoleates, long-chain, sulfonated, 85
alkyldimethylamine oxides, 683
alkyldiphenylether disulfonates, alkyldiphenylether sulfonates, 30
alkyl glycoside polyesters, 14
n-alkanesulfinate/sulfonate, *n*-alkanesulfonates, by bisulfite addition to α-olefins, 47
alkylphenol ethoxylates, 695
dodecyl betaine, nonylphenylethoxylate, sodium dodecyl sulfate, 20
dodecyldimethylamine oxide, 25
dimethylpoysiloxane derivative, sodium dodecyl sulfate, 80
C_{21}-dicarboxylic acid soaps, 52
Nα-lauroyl-L-arginine dipeptides, acidic and basics, 647
α-sulfonated fatty acid esters, 44, 672
alcohol ethoxylates, nonylphenyl ethoxylates, sodium dodecyl sulfate, 653

Author

A

AASOLDSEN, T. See Tande, T.
ABDULLAH, A. See NorAini, I.
ABIDI, S.L. See Mounts, T.L.
ABOUHILALE, S., J. Greiner, and J.G. Riess. Perfluoroalkylated fatty acid monoesters of trehalose and sucrose for biomedical applications: Remarkable emulsifying properties of 6-*O*-perfluorooctyl) propanoylé-trehalose, 1
ABRAHAM, G. See Champagne, E.T.
See Hron, R.J., Sr.
See Kuk, M.S.
ABRAHAM, M.H., and G.S. Whiting. Hydrogen-bonding. Part 22. Characterization of soybean oil and prediction of activity coefficients in soybean oil from inverse gas chromatographic data, 1236
ADAMS, W.J. See Naylor, C.G.
ADHIKARI, C., H.E. Snyder, T.W. Kwon, and P.K. Clark. Alternative extraction effects on free fatty acids and phosphorus in oil from damaged and undamaged soybeans, 1141
ADHIKARI, J. See Adhikari, S.
ADHIKARI, S., and J. Adhikari. Detection of interesterified fats in hydrogenated fats, 1051
ADLERCREUTZ, P. See Bloomer, S.
See Svensson, I.
AKIHISA, T., T. Kawashima, S. Takahashi, N. Sahashi, T. Okamoto, I. Niiya, and T. Tamura. Sterols and fatty acids of a whisk fern *Psilotum nudum*, 1232
AKOH, C.C. Emulsification properties of polyesters and sucrose ester blends I: Carbohydrate fatty acid polyesters, 9
C. Cooper, and C.V. Nwosu. Lipase G-catalyzed synthesis of monoglycerides in organic solvent and analysis by HPLC, 257
and C.V. Nwosu. Emulsification properties of polyesters and sucrose ester blends II: Alkyl glycoside polyesters, 14
and C.V. Nwosu. Fatty acid composition of melon seed oil lipids and phospholipids, 314
AKSOY, H.A. See Dandik, L.
ALA-PEIJARI, M. See Hase, A.
AMPON, K. See Basri, M.
ANDERSON, M.A. See Bryant, K.A.A.
ANDERSON, R.L. Effects of steaming on soybean proteins and trypsin inhibitors, 1170
ANDO, Y., K. Nishimura, N. Aoyanagi, and T. Takagi. Stereospecific analysis of fish oil triacyl-*sn*-glycerols, 417
AÑÓN, M.C. See Herrera, M.L.
AOYANAGI, N. See Ando, Y.
APPELQVIST, L-Å. See Nourooz-Zadeh, J.
ARACIL, J. See Sánchez, N.
ARNTFIELD, S.D., N.R. Bulley, and W.J. Crerar. Supercritical CO_2 extraction of egg yolk: Impact of temperature and entrainer on residual protein, 823
AROWOLO, T.A. See Nkpa, N.N.
ARROYO, R., C. Cuesta, C. Garrido-Polonio, S. López-Varela, and F.J. Sánchez-Muniz. High-performance size-exclusion chromatographic studies on polar components formed in sunflower oil used for frying, 557
ARTZ, W.E., and R.M. Sauer, Jr. An improved micro-extraction cell for supercritical fluid extraction and chromatography of fatty acids, 309
ARUMUGHAN, C. See George, S.
See Sreedhara, N.
AUMELAS, A. See Comes, F.
AYORINDE, F.O. See Bryant, K.A.A.
See Sarbah-Yalley, E.
AZAIS-BRAESCO, V., A. Forget, M. Mercier, and P. Grolier. Rapid synthesis and purification of vitamin A esters, 1272

B

BAGBY, M.O. See Erhan, S.Z.
See Koritala, S.
See Knothe, G.
See Lanser, A.C.
BANIAS, C., V. Oreopoulou, and C.D. Thomopoulos. The effect of primary antioxidants and synergists on the activity of plant extracts in lard, 520
BARLOW, P.J. See Habile, M.
BARRERA-ARELLANO, D., and W. Esteves. Oxidative stability of potato chips determined by Rancimat, 335
BASRI, M., K. Ampon, W.M.Z. Yunus, C.N.A. Razak, and A.B. Salleh. Amidination of lipase with hydrophobic imidoesters, 579
BASU, A.K. See Mukhopadhyay, S.B.
BENTES, M.H.S. See Da Rocha Filho, G.N.
BERGENSTÅHL, B. See Johansson, D.
BERGER, M., and M.P. Schneider. Enzymatic esterification of glycerol II. Lipase-catalyzed synthesis of regioisomerically pure 1(3)-*rac*-monoacylglycerols, 961
K. Laumen, and M.P. Schneider. Enzymatic esterification of glycerol I. Lipase-catalyzed synthesis of regioisomerically pure 1,3-*sn*-diacylglycerols, 955
BERGER, R.G. See McNeill, G.P.
BERJANO, M. See Calahorro, C.
BERNA, J.L. See Cohen, L.
BHATTACHARYA, D.K. See Ghoshray, S.
BHATTACHARYYA, D.K. See Sengupta, R.
BILYK, A., R.G. Bistline, Jr., G.J. Piazza, S.H. Feairheller, and M.J. Haas. A novel technique for the preparation of secondary fatty amides, 488
See Piazza, G.J.
BIMBO, A.P., and J.B. Crowther. Fish meal and oil: Current uses, 221
BISTLINE, R.G., JR. See Bilyk, A.
BLACKMAN, B. See deMan, L.
BLAUROCK, A.E. See Eads, T.M.
BLOOMER, S., P. Adlercreutz, and B. Mattiasson. Kilogram-scale ester synthesis of acyl donor and use in lipase-catalyzed interesterifications, 966
BOCCI, F. See Frega, N.
BOKI, K., M. Kubo, T. Wada, and T. Tamura. Bleaching of alkali-refined vegetable oils with clay minerals, 232
M. Kubo, N. Kawasaki, and H. Mori. Adsorption isotherms of pigments from alkali-refined vegetable oils with clay minerals, 372
BONDIOLI, P., C. Mariani, A. Lanzani, E. Fedeli, A. Mossa, and A. Muller. Lampante olive oil refining with supercritical carbon dioxide, 477
BORLAND, J.E. See Crutcher, T.
BORNAZ, S., G. Novak, and M. Parmentier. Seasonal and regional variation in triglyceride composition of French butterfat, 1131
BOROWITZ, D. See McNeill, G.P.
BOTTAZZINI, N. See Quaglino, M.
BOURREIL, P.J.-L. See Gaydou, E.M.
BOYD, L.C., M.F. King, and B. Sheldon. A rapid method for determining the oxidation of n-3 fatty acids, 325
See King, M.F.
BREIVIK, H. See Tande, T.
BRESSA, F. See Elizalde, B.E.
BRODZKI, D. See Da Rocha Filho, G.N.
BROWER, D.P. See Piazza, G.J.
BRYANT, K.A.A., C.P. Nwaonicha, M.A. Anderson, and F.O. Ayorinde. Acid-catalyzed alcoholysis of *Vernonia galamensis* oil, 1023
BRYANT, R.G. See Eads, T.M.
BULLEY, N.R. See Arntfield, S.D.
BURCZYK, B. See Sokołowski, A.
BURKOW, I.C., P. Moen, and K. Øverbø. Chemiluminescence as a method for oxidative rancidity assessment in autoxidized marine oils, 1108

C

ÇAKALOZ, T. See Gümüşkesen, A.S.
CALAHORRO, C., J. Muñoz, M. Berjano, A. Guerrero, and C. Gallegos. Flow behavior of sucrose stearatewater systems, 660
CALDWELL, J.D. See Yates, R.A.
CALLAHAN, T.J. See Knothe, G.
CAMMENGA, H.K. See Vorderwülbecke, T.

AUTHOR INDEX

CASTALDI, F.J. See Naylor, C.G.
CASTELLANO, J.M. See Gutierrez, F.
CAVALLI, S. See Quaglino, M.
CEBULA, D.J., D.J. McClements, M.J.W. Povey, and P.R. Smith. Neutron diffraction studies of liquid and crystalline trilaurin, 130
and K.W. Smith. Differential scanning calorimetry of confectionary fats: Part II—effects of blends and minor components, 992
CHAKRABARTI, A., and M.M. Sharma. Anhydrous esterification of myristic acid with propylene: Ion exchange resin and acid-treated clay as catalyts, 1251
CHAMPAGNE, E.T., R.J. Hron, Sr., and G. Abraham. Utilizing ethanol to produce stabilized brown rice products, 205
CHAN, K.Y., and P.E. Kavanagh. Application of Plackett-Burman design and linear programming to light-duty liquid detergent formulation, 690
CHANG, S.C. See Yang, M.H.
CHAPMAN, D.M., and E.A. Pfannkoch. Thermodynamic limitations for pigment adsorption during the bleaching of triglyceride oils, 1009
CHAUDHURI, S.N. See Kumarathasan, R.
CHEAH, K.Y., T.S. Tang, F. Mizukami, S. Niwa, M. Toba, and Y.M. Choo. Selective hydrogenation of oleic acid to 9-octadecen-1-ol: Catalyst preparation and optimum reaction conditions, 410
CHEN, K.M., and H.R. Wang. Synthesis and surface activity of self-sequestering surfactants, 60
CHEN, Q., H. Shi, and C.T. Ho. Effects of rosemary extracts and major constituents on lipid oxidation and soybean lipoxygenase activity, 999
CHEN, R.H. See Yang, M.H.
CHEN, S.Y. See Wu, C.-M.
CHERYAN, M. See Mannheim, A.
CHEVOLLEAU, S., J.F. Mallet, E. Ucciani, J. Gamisans, and M. Gruber. Antioxidant activity in leaves of some Mediterranean plants, 1269
CHIU, M. See Friberg, S.E.
CHOI, Y.C. See Lie Ken Jie, M.S.F.
CHONG, C.N., Y.M. Hoh, and C.W. Wang. Fractionation procedures for obtaining cocoa butter-like fat from enzymatically interesterified palm olein, 137
CHOO, Y.M. See Cheah, K.Y.
CHOW, M.C. See Ho, C.C.
CHRISTIE, W.W. See Santinelli, F.
CHU, Y.H., and L.-H. Lin. Effects of minor compounds on hydrogenation rate of soybean oil, 880
CLARK, P.K. See Adhikari, C.
CLEMENTS, L.D. See Noureddini, H.
CLOUGH, A.E. The determination of tocopherols in vegetable oils by square-wave voltammetry, 456
CODDINGTON, J.M. See O'Conner, C.J.
COHEN, L., A. Moreno, and J.L. Berna. Detergency of binary mixtures of LAS/STPP and LAS/zeolites: Influence of (Ca^{++}) on the washing liquor, 678
COLLAR, C. See Prieto, J.A.
COMELLES, F. See García, M.T.
COMES, F., M. Farines, A. Aumelas, and J. Soulier. Fatty acids and triacylglycerols of cherry seed oil, 1224
COOPER, C. See Akoh, C.C.
CORMA, A. See Sánchez, N.
COVEY, J.E. See Wan, P.J.
CRAIG, J.C., JR. See Taylor, F.
CRERAR, W.J. See Arntfield, S.D.
CRIPPEN, K.L. See Sanders, T.H.
CROASMUN, W.R. See Eads, T.M.
CROWTHER, J.B. See Bimbo, A.P.
CRUTCHER, T., K.R. Smith, J.E. Borland, J.D. Sauer, and J.W. Perine. Alkyldimethylamine oxides as synergistic fabric softeners, 682
CUESTA, C. See Arroyo, R.
CUNNINGHAM, H.W. See Erhan, S.Z.

D

D'SOUZA, V. See deMan, L.
J.M. deMan, and L. deMan. Chemical and physical properties of the solid fats in commercial soft margarines, 1198
DA ROCHA FILHO, G.N., M.H.S. Bentes, D. Brodzki, and G. Djéga-Mariadassou. Catalytic conversion of *Hevea brasiliensis* and *Virola sebifera* oils to hydrocarbon fuels, 266
DALLA ROSA, M. See Elizalde, B.E.
DAMIANI, P. See Santinelli, F.
DANDIK, L., and H.A. Aksoy. The kinetics of hydrolysis of *Nigella sativa* (black cumin) seed oil catalyzed by native lipase in ground seed, 1239
E. Sahin, F. Karaosmanoğlu, A. Isiğıgür, and H.A. Aksoy. Characteristics of beechnut oil (*Fagus orientalis* Lipsky) of Turkish origin, 1274
DANNO, G., See Xu, S.R.
DAULATABAD, C.D., G.M. Mulla, A.M. Mirajkar, and K.M. Hosamani. *Cryptolepis buchnani* seed oil: A rich source of keto fatty acid, 188
V.A. Desai, K.M. Hosamani, and V.B. Hiremath. Epoxy oleic acid in *Quamoclit* seed oils, 190
DAUN, J.K. See Endo, Y.
See Ward, K.
DECKER, E.A. See Shantha, N.C.
DELGADO DE LAYÑO, M. See López de Ogara, M.C.
DELIĆ, I. See Lević, J.
DEMAN, J.M. See deMan, L.
See D'Souza, V.
DEMAN, L., V. D'Souza, J.M. deMan, and B. Blackman. Polymorphic stability of some shortenings as influenced by the fatty acid and glyceride composition of the solid phase, 246
See D'Souza, V.
DEMETROPOULOS, I.N. See Tasioula-Margari, M.
DESAI, V.A. See Daulatabad, C.D.
DEULING, H.H. See Stapersma, J.
DEVSHONY, S., E. Eteshola, and A. Shani. Characteristics and some potential applications of date palm (*Phoenix dactylifera* L.) seeds and seed oil, 595
DIERS, B.W., and R.C. Shoemaker. Restriction fragment length polymorphism analysis of soybean fatty acid content, 1242
DJÉGA-MARIADASSOU, G. See Da Rocha Filho, G.N.
DOBARGANES, M.C. See Márquez-Ruiz, G.
DORNBOS, D.L., JR., and R.E. Mullen. Soybean seed protein and oil contents and fatty acid composition adjustments by drought and temperature, 228
DUH, P.-D., D.-B. Yeh, and G.-C. Yen. Extraction and identification of an antioxidative component from peanut hulls, 814
DUTT, N.V.K., Y.V.L. Ravi Kumar, and H. Sumathi Vedanayagam. Quantitative structure-property relationships for normal saturated and unsaturated fatty acids, 1263

E

EADS, T.M., A.E. Blaurock, R.G. Bryant, D.J. Roy, and W.R. Croasmun. Molecular motion and transitions in solid tripalmitin measured by deuterium nuclear magnetic resonance, 1057
EBRI, A. See Prieto, J.A.
EDWARDS, J.H. See Sanders, T.H.
EL-ANWAR, I.M. See El-Shami, S.M.
EL-SHAMI, S.M., I. Zaki Selim, I.M. El-Anwar, and M. Hassan El-Mallah. Dielectric properties for monitoring the quality of heated oils, 872
ELIZALDE, B.E., F. Bressa, and M. Dalla Rosa. Antioxidative action of Maillard reaction volatiles: Influence of Maillard solution browning level, 331
ELMER-FROHLICH, K., and P.A. Lachance. Faster and easier methods for quantitative lipid extraction and fractionation from miniature samples of animal tissues, 243
EMBONG, M.S. See NorAini, I.
EMO, G. See van de Voort, F.R.
ENDO, Y., C.T. Thorsteinson, and J.K. Daun. Characterization of chlorophyll pigments present in canola seed, meal and oil, 564
ENGEL, K.-H. Lipase-catalyzed enantioselective acidolysis of chiral 2-methylalkanoates, 146
ENGESETH, N.J., E.G. Perkins, and B.P. Klein. Effects of cultivar and tempering procedures on crude soybean oil volatiles, 841
EPPLE, M. See Vorderwülbecke, T.

AUTHOR INDEX

ERHAN, S.M. See Isbell, T.A.
ERHAN, S.Z., M.O. Bagby, and H.W. Cunningham. Vegetable oil-based printing inks, 251
ERIBO, B.E. See Sarbah-Yalley, E.
ERRA, P. See Infante, M.R.
ESTEVES, W. See Barrera-Arellano, D.
ESUMI, K. See Nojima, T.
See Ohno, M.
ETESHOLA, E. See Devshony, S.

F

FARINES, M. See Comes, F.
FEAIRHELLER, S.H. See Bilyk, A.
FEDELI, E. See Bondioli, P.
FELLAT-ZARROUCK, K. See Maurin, R.
FENNEMA, O. See Greener Donhowe, I.
FETT, W.F. See Gérard, H.C.
FISHER, G.S. See Hron, R.J., Sr.
FLOAREA, O. See Rusnac, L.M.
FOGLIA, T.A., and L.S. Silbert. Peroxide synthesis from alkyl halides, alcohols and alkenes, 151
FORGET, A. See Azais-Braesco, V.
FORSSELL, P., R. Kervinen, M. Lappi, P. Linko, T. Suortti, and K. Poutanen. Effect of enzymatic interesterification on the melting point of tallow-rapeseed oil (LEAR) mixture, 126
FORTKAMP, J. See Yamaoka, M.
FRANKEL, E.N. See Neff, W.E.
FREGA, N., F. Bocci, and G. Lercker. Direct gas chromatographic analysis of the unsaponifiable fraction of different oils with a polar capillary column, 447
FRIBERG, S.E., and M. Chiu. Phase diagrams of water and sodium dodecyl sulfate combined with four commercial nonionic surfactants, 653
FRYAN, M.C. See Reboa, P.F.
FUJII, S. See Xu, S.R.
FUKUDA, M. See Okano, T.
FUNUDA, T. See Tanaka, Y.

G

GALLARDO-GUERRERO, L. See Gutiérrez-Rosales, F.
GALLEGOS, C. See Calahorro, C.
GAMISANS, J. See Chevolleau, S.
GAN, L.H., S.H. Goh, and K.S. Ooi. Kinetic studies of epoxidation and oxirane cleavage of palm olein methyl esters, 347
GANDUL-ROJAS, B. See Gutiérrez-Rosales, F.
GARCÍA, J.M. See Gutierrez, F.
GARCÍA, M.T., J. Sanchez Leal, and I. Ribosa. Effect of various parameters on sodium dodecyl sulfate (SDS) flux through a collagen membrane, 20
I. Ribosa, J. Sanchez Leal, and F. Comelles. Monomer-micelle equilibrium in the diffusion of surfactants in binary systems through collagen films, 25
GARDNER, D.R., R.A. Sanders, D.E. Henry, D.H. Tallmadge, and H.W. Wharton. Characterization of used frying oils. Part 1: Isolation and identification of compound classes, 499
See Henry, See Sanders, R.A.
GARRIDO-FERNÁNDEZ, J. See Gutiérrez-Rosales, F.
GARRIDO-POLONIO, C. See Arroyo, R.
GAYDOU, E.M., J. Viano, and P.J.-L. Bourreil. *Canavalia ensiformis* neutral lipids, a rich source of lupeol, 495
GECRGE, S., and C. Arumughan. Lipid profile of process streams of palm oil mill, 283
GEORGES, A.N., C.K. Olivier, and R.E. Simard. *Canarium schweinfurthii* Engl.: Chemical composition of the fruit pulp, 317
GÉRARD, H.C., R.A. Moreau, W.F. Fett, and S.F. Osman. Separation and quantitation of hydroxy and epoxy fatty acids by high-performance liquid chromatography with an evaporative light-scattering detector, 301
GESSER, H.D. See Kumarathasan, R.
GHOSHRAY, S., and D.K. Bhattacharya. Enzymatic preparation of ricinoleic acid esters of long-chain monohydric alcohols and properties of the esters, 85
GOH, S.H. See Gan, L.H.
GOMES, T. Oligopolymer, diglyceride and oxidized triglyceride contents as measures of olive oil quality, 1219
GOPALA KRISHNA, A.G. A method for bleaching rice bran oil with silica gel, 1257
and J.V. Prabhakar. Effect of water activity on secondary products formation in autoxidizing methyl linoleate, 178
GRALL, D.S., and R.W. Hartel. Kinetics of butterfat crystallization, 741
GREENER DONHOWE, I., and O. Fennema. The effect of relative humidity gradient on water vapor permeance of lipid and lipid-hydrocolloid bilayer films, 1081
GREINER, J. See Abouhilale, S.
GROLIER, P. See Azais-Braesco, V.
GRUBER, M. See Chevolleau, S.
GUERRERO, A. See Calahorro, C.
GÜLER, Ç., and F. Tunç. Chlorophyll adsorption on acid-activated clay, 948
GÜMÜŞKESEN, A.S., and T. Çakaloz. Chemical and physical changes in cottonseed oil during deodorization, 392
GUNSTONE, F. See Thorisson, S.
GUPTA, P.K. See Mukhopadhyay, S.B.
GUTIERREZ, F., S. Perdiguero, J.M. García, and J.M. Castellano. Quality of oils from olives stored under controlled atmosphere, 1215
GUTIÉRREZ, R. See Gutiérrez Rosales, F.
GUTIÉRREZ-ROSALES, F., S. Perdiguero, R. Gutiérrez, and J.M. Olías. Evaluation of the bitter taste in virgin olive oil, 394
J. Garrido-Fernández, L. Gallardo-Guerrero, B. Gandul-Rojas and M.I. Mínquez-Mosquera. Action of chlorophylls on the stability of virgin olive oil, 866

H

HAAS, M.J. See Bilyk, A.
See Piazza, G.J.
HABILE, M., P.J. Barlow, and M. Hole. Adsorptive bleaching of soybean oil with non-montmorillonite Zambian clays, 379
HAGEMANN, J.W., and J.A. Rothfus. Computer modeling of packing arrangements and transitions in saturated-*cis*-unsaturated mixed triglycerides, 429
HALIM, A.H. See NorAini, I.
HARDY, R. See Thorisson, S.
HARTEL, R. See Maheshwari, P.
HARTEL, R.W. See Grall, D.S.
HARTMAN, L., and F.H. Jablonka. A modified moisture and volatile matter determination in fats and oils, 1276
HASE, A., S. Kaltia, J. Matikainen, M. Ala-Peijari, and T. Hase. Cyclopinolenic acids: Synthesis, derivatives and thermal properties, 1027
M. Ala-Peijari, S. Kaltia, and J. Matikainen. Separation and purification of pinolenic acid by the iodolactonization method, 832
HASE, T. See Hase, A.
HASENHUETTL, G.L., and P.J. Wan. Temperature effects on the determination of oxidative stability with the Metrohm Rancimat, 525
HASSAN, H. See NorAini, I.
HASSAN EL-MALLAH, M. See El-Shami, S.M.
HAYES, D.G., and R. Kleiman. Recovery of hydroxy fatty acids from lesquerella oil with lipases, 982
HENNINGER, M. See Ulberth, F.
HENRY, D.E., D.H. Tallmadge, R.A. Sanders, and D.R. Gardner. Characterization of used frying oils. Part 2: Comparison of olestra and triglyceride, 509
See Gardner, D.R.

HERKE, R., and K. Rasheed. Addition of bisulfite to α-olefins: Synthesis of n-alkane sulfonates and characterization of intermediates, 47
HERRERA, M.L., J.A. Segura, G.J. Rivarola, and M.C. Añón. Relationship between cooling rate and crystallization behavior of hydrogenated sunflowerseed oil, 898
HINSCH, R.T. See Sanders, T.H.
HIRANO, J. See Tanaka, Y.
HIREMATH, V.B. See Daulatabad, C.D.
HO, C.C., M.C. Chow, and S.H. Ong. Recovery of residual oil from the centrifuge sludge of a palm oil mill: Effect of enzyme digestion and surfactant treatment, 276
HO, C.T. See Chen, Q.
HOGGE, L.R. See Taylor, D.C.
HOH, Y.M. See Chong, C.N.
HOJILLA-EVANGELISTA, M.P., D.J. Myers, and L.A. Johnson. Characterization of protein extracted from flaked, defatted, whole corn by the sequential extraction process, 199
HOLE, M. See Habile, M.
HOPIA, A.I., V.I. Piironen, P.E. Koivistoinen, and L.E.T. Hyvönen. Analysis of lipid classes by solid-phase extraction and high-performance size-exclusion chromatography, 772
HOSAMANI, K.M. See Daulatabad, C.D.
HOSHINO, T. See Yamane, T.
HOU, C.T., and T.M. Johnston. Screening of lipase activities with cultures from the Agricultural Research Service culture collection, 1088
See Knothe, G.
HRON, R.J. See Kuk, M.S.
HRON, R.J., SR., G. Abraham, M.S. Kuk, and G.S. Fisher. Acidic ethanol extraction of cottonseed, 951
See Champagne, E.T.
HUA, X.Y. See Rosen, M.J.
HUDSON, J.K. See Nilsson, W.B.
HUNTER, N.R. See Kumarathasan, R.
HYONG, C.K. See Kuntom, A.
HYVÖNEN, L.E.T. See Hopia, A.I.

I

INFANTE, M.R., J. Molinero, and P. Erra. Lipopeptidic surfactants. II. Acidic and basic Nα-lauroyl-L-arginine dipeptides from pure amino acids, 647
INYANG, U.E., and C.U. Nwadimkpa. Functional properties of dehulled sesame (*Sesamum indicum* L.) seed flour, 819
ISBELL, T.A., R. Kleiman, and S.M. Erhan. Characterization of monomers produced from thermal high-pressure conversion of meadowfoam and oleic acids into estolides, 1177
ISIĞIGÜR, A. See Dandik, L.
ISMAIL, A.A., See van de Voort, F.R.
ISOBE, S., F. Zuber, K. Uemura, and A. Noguchi. A new twin-screw press design for oil extraction of dehulled sunflower seeds, 884
IVIĆ, M. See Lević, J.

J

JAREONKITMONGKOL, S., H. Kawashima, S. Shimizu, and H. Yamada. Production of 5,8,11-*cis*-eicosatrienoic acid by a Δ12-desaturase-defective mutant of *Mortierella alpina* 1S-4, 939
JASPERSE, J.L., and P.H. Steiger. A system for determining optical brighteners in laundry detergents by TLC and HPLC, 621
JOHANSSON, D., and B. Bergenståhl. and B. Bergenståhl. The influence of food emulsifiers on fat and sugar dispersions in oils. I. Adsorption, sedimentation, 705
The influence of food emulsifiers on fat and sugar dispersions in oils. II. Rheology, colloidal forces, 718
and B. Bergenståhl. The influence of food emulsifiers on fat and sugar dispersions in oils. III. Water content, purity of oils, 728
JOHNSON, L.A. See Hojilla-Evangelista, M.P.
JOHNSTON, T.M. See Hou, C.T.
JONES, K.C. See Maerker, G.
JOSEPH, R. See Sarada, R.

K

KAITARANTA, J.K. Control of lipid oxidation in fish oil with various antioxidative compounds, 810
KAJIMOTO, G. See Yoshida, H.
KAKUDA, Y. See Kamel, B.S.
KALINOSKI, H.T. See Silver, A.H.
KALTIA, S. See Hase, A.
KAMEL, B.S. Characteristics of bread and buns made with lard and vegetable oils of different iodine values, 794
and Y. Kakuda. Characterization of the seed oil and meal from apricot, cherry, nectarine, peach and plum, 492
KARAOSMANOĞLU, F. See Dandik, L.
KARLOVIC, D., M. Sovilj, and J. Turkulov. Kinetics of oil extraction from corn germ, 471
KAVANAGH, P.E. See Chan, K.Y.
KAWASAKI, N. See Boki, K.
KAWASHIMA, H. See Jareonkitmongkol, S.
KAWASHIMA, T. See Akihisa, T.
KELLENS, M., W. Meeussen, and H. Reynaers. Study of the polymorphism and the crystallization kinetics of tripalmitin: A microscopic approach, 906
KEOUGH, T. See Sanders, R.A.
KERVINEN, R. See Forssell, P.
KEURENTJES, J.T.F. See van der Padt, A.
KHAN, M.W.Y., J. Mustafa, A. Rauf, M.T. Saeed, and S.M. Osman. Long-chain derivatives with a hexahydrothioxotetrazine moiety as potential antimicrobial agents, 1160
KHOTIMCHENKO, S.V. See Vaskovsky, V.E.
KIESLICH, K. See Vorderwülbecke, T.
KIFLI, H. See Kuntom, A.
KIM (LEE), S.Y., P.S.W. Park, and K.C. Rhee. Textural properties of cheese analogs containing proteolytic enzyme-modified soy protein isolates, 755
KING, M.F., L.C. Boyd, and B.W. Sheldon. Antioxidant properties of individual phospholipids in a salmon oil model system, 545
L.C. Boyd, and B.W. Sheldon. Effects of phospholipids on lipid oxidation of a salmon oil model system, 237
See Boyd, L.C.
KIRITO, Y-I. See Zhu, Y-P.
KLEIMAN, R. See Hayes, D.G.
See Isbell, T.A.
KLEIN, B.P. See Engeseth, N.J.
KLEKNER, V. See Zhou, Q.H.
KNEZ, Z. See Pecnik, S.
KNOTHE, G., M.O. Bagby, R.E. Peterson, and C.T. Hou. 7,10-dihydroxy-8(E)-octadecenoic acid: Stereochemistry and a novel derivative, 7,10-dihydroxyoctadecanoic acid, 367
M.O. Bagby, T.W. Ryan III, H.G. Wheeler, and T.J. Callahan. Semi-volatile and volatile compounds formed by degradation of triglycerides in a pressurized reactor, 341
KOBE, J. See Smidovnik, A.
KOIVISTOINEN, P.E. See Hopia, A.I.
KONDO, I. See Yoshida, H.
KORITALA, S., and M.O. Bagby. Microbial conversion of linoleic and linolenic acids to unsaturated hydroxy fatty acids, 575
KOSARIC, N. See Zhou, Q.H.
KRISNANGKURA, K., and R. Simamaharnnop. Continuous transmethylation of palm oil in an organic solvent, 166
KSIR, M. See Maurin, R.
KUBO, M. See Boki, K.
KUK, M.S., R.J. Hron, G. Abraham, and P.J. Wan. Adsorptive removal of aflatoxins, 1154
See Hron, R.J., Sr.
KUMARATHASAN, R., A.B. Rajkumar, N.R. Hunter, and H.D.

AUTHOR INDEX

Gesser. Glycerol, glucose and 2-acetoacetoxyethyl methacrylate: Effect on methyl linolenate oxidation and yellowing, 338
and S.N. Chaudhuri, N.R. Hunter, and H.D. Gesser. Effect of thioanisole and trimethylene sulfide on the oxidation and yellowing of methyl linolenate, 1260
KUNTOM, A., H. Kifli, and C.K. Hyong. Gas chromatographic analysis of fragrances in palm-based white soaps, 614
KUO, T.M. Isolation and identification of galactinol from castor oilseed meal, 569
KURANTZ, M.J. See Taylor, F.
KURASHIGE, J. See Watanabe, A.
KWON, T.W. See Adhikari, C.

L

LABOWS, J.N. Surfactant solubilization behavior *via* headspace analysis, 34
LACEY, M.P. See Sanders, R.A.
LACHANCE, P.A. See Elmer-Frohlich, K.
LAKSHMINARAYANA, G. See Mhaskar, S.Y.
See Sridhar, R.
LANG, W., S. Sokhansanj, and F.W. Sosulski. Modelling the temperature dependence of kinematic viscosity for refined canola oil, 1054
LANSER, A.C., R.D. Plattner, and M.O. Bagby. Production of 15-, 16- and 17-hydroxy-9-octadecenoic acids by bioconversion of oleic acid with *Bacillus pumilus*, 363
See List, G.R.
LANZANI, A. See Bondioli, P.
LAPPI, M. See Forssell, P.
LARSSON, K. On the structure of the liquid state of triglycerides, 835
LAUMEN, K. See Berger, M.
LERCKER, G. See Frega, N.
LERCKER, G.A. Perplexity on fatty acid identification in purslane (*Portulaca oleracea*) tissues, 193
LEVIĆ, J., I. Delić, M. Ivić, M. Rac, and S. Stefanović. Removal of cellulose from sunflower meal by fractionation, 890
LIE KEN JIE, M.S.F., and M.S.K. Syed-Rahmatullah. Synthesis and spectroscopic properties of long-chain aza, aziridine and azetidine fatty esters, 359
and Y.C. Choi. Mass spectral studies of deuterium-labelled picolinyl fatty esters in the determination of double-bond positions, 1245
and K.P. Wong. Synthesis of dimethyl-substituted C_{18} uranoid fatty ester, 485
Liew, K.Y., and C.E. Seng. Molal volumes of some *n*-fatty acids and their methyl and ethyl esters, 734
C.E. Seng, and L.L. Oh. Viscosities and densities of the methyl esters of some n-alkanoic acids, 155
LIM, C. See Sessa, D.J.
LIN, L-H. See Chu, Y-H.
LINKO, P. See Forssell, P.
LIST, G.R., T.L. Mounts, and A.C. Lanser. Factors promoting the formation of nonhydratable soybean phosphatides, 443
LIU, H-R., and P.J. White. High-temperature stability of soybean oils with altered fatty acid compositions, 533
and P.J. White. Oxidative stability of soybean oils with altered fatty acid compositions, 528
LÓPEZ DE OGARA, M.C., M. Delgado de Layño, A.M. Pilosof, and R.A. Macchi. Functional properties of soy protein isolates as affected by heat treatment during isoelectric precipitation, 184
LÓPEZ-VARELA, S. See Arroyo, R.
LØVAAS, E. A sensitive spectrophotometric method for lipid hydroperoxide determination, 777

M

MACCHI, R.A. See López de Ogara, M.C.
MAERKER, G., and K.C. Jones. Gamma-irradiation of individual cholesterol oxidation products, 451
MAGEE, T.V., and D.F. Zinkel. Composition of American distilled tall oils, 321
MAGET-DANA, R. See Thimon, L.
MAHESHWARI, P., Z.L. Nikolov, T.M. White, and R. Hartel. Solubility of fatty acids in supercritical carbon dioxide, 1069
MALLET, J.F. See Chevolleau, S.
MANNHEIM, A., and M. Cheryan. Enzyme-modified proteins from corn gluten meal: Preparation and functional properties, 1163
MARCH, B.E. See McCurdy, S.E.
MARIANI, C. See Bondioli, P.
MÁRQUEZ-RUIZ, G., M.C. Pérez-Camino, and M.C. Dobarganes. Digestibility of fatty acid monomers, dimers and polymers in the rat, 930
MARTINEZ, M. See Sánchez, N.
MASUYAMA, A. See Zhu, Y-P.
MATIKAINEN, J. See Hase, A.
MATSUO, T. See Xu, S.R.
MATSUZAKI, N. See Watanabe, A.
MATTIASSON, B. See Bloomer, S.
See Svensson, I.
MAURIN, R., K. Fellat-Zarrouck, and M. Ksir. Positional analysis and determination of triacylglycerol structure of *Argania spinosa* seed oil, 141
MAZA, A., R.A. Ormsbee, and L.R. Strecker. Effects of deodorization and steam-refining parameters on finished oil quality, 1003
MAZZA, G., and H. Qi. Effect of after-cooking darkening inhibitors on stability of frying oil and quality of french fries, 847
MCCLEMENTS, D.J. See Cebula, D.J.
MCCURDY, A.R. See Salivaras, E.
See Tautorus, C.L.
MCCURDY, S.M., and B.E. March. Processing of canola meal for incorporation in trout and salmon diets, 213
MCNEILL, G.P., D. Borowitz, and R.G. Berger. Selective distribution of saturated fatty acids into the monoglyceride fraction during enzymatic glycerolysis, 1098
MEEUSSEN, W. See Kellens, M.
MEGURO, K. See Nojima, T.
See Ohno, M.
MELLON, J.E. Inhibition of aflatoxin production in *Aspergillus flavus* by cotton ovule extracts, 945
MELTON, S.L. Analysis of soybean lecithins and beef phospholipids by HPLC with an evaporative light scattering detector, 784
MENDIOROZ, S. See Rodrigo, M.T.
MERCIER, M. See Azais-Braesco, V.
MHASKAR, S.Y., and R. Subbarao. Synthesis of (*R,S*)-muscone from 10-undecenoic acid, 837
and G. Lakshminarayana. Synthesis of diethanolamides of N-lauroyl dipeptides and correlation of their structures with surfactant and antibacterial properties, 643
MICHEL, G. See Thimon, L.
MIEURE, J.P. See Naylor, C.G.
MÍNQUEZ-MOSQUERA, M.I. See Gutiérrez-Rosales, F.
MIRAJKAR, A.M. See Daulatabad, C.D.
MIZUKAMI, F. See Cheah, K.Y.
MOEN, P. See Burkow, I.C.
MOHAMAD, N. See Siew, W.L.
MOLINERO, J. See Infante, M.R.
MOREAU, R.A. See Gérard, H.C.
MORENO, A. See Cohen, L.
MORI, H. See Boki, K.
MORR, M. See Yamaoka, M.
MOSSA, A. See Bondioli, P.
MOUNTS, T.L., S.L. Abidi, and K.A. Rennick. HPLC analysis of phospholipids by evaporative laser light-scattering detection, 438
See List, G.R.
See Neff, W.E.
MUKHOPADHYAY, S.B., P.K. Gupta, and A.K. Basu. Dry refining of sesame oil with alkali-enriched sodium metasilicate, 294
MULLA, G.M. See Daulatabad, C.D.
MULLEN, R.E. See Dornbos, D.L., Jr.
MULLER, A. See Bondioli, P.
MUÑOZ, J. See Calahorro, C.

MUSTAFA, J. See Khan, M.W.Y
See Saeed, M.T.
MYERS, D.J. See Hojilla-Evangelista, M.P.

N

NACZK, M. See Shahidi, F.
NAG, A. Hydration of inorganic solid powder in the presence and absence of polar and nonpolar oil, 925
NARAYANAN, C.S. See Sreedhara, N.
NAYLOR, C.G., J.P. Mieure, W.J. Adams, J.A. Weeks, F.J. Castaldi, L.D. Ogle, and R.R. Romano. Alkylphenol ethoxylates in the environment, 695
NEFF, W.E., E. Selke, T.L. Mounts, W. Rinsch, E.N. Frankel, and M.A.M. Zeitoun. Effect of triacylgycerol composition and structures on oxidative stability of oils from selected soybean germplasm, 111
NIIYA, I. See Akihisa, T.
NIKOLOV, Z.L. See Maheshwari, P.
NILSSON, W.B., G.T. Seaborn, and J.K. Hudson. Partition coefficients for fatty acid esters in supercritical fluid CO_2 with and without ethanol, 305
NISHIMURA, K. See Ando, Y.
NIWA, S. See Cheah, K.Y.
NIYATI-SHIRKHODAEE, F., and T. Shibamoto. Formation of toxic aldehydes in cod liver oil after ultraviolet irradiation, 1254
NKPA, N.N., T.A. Arowolo, and F.C. Osanu. Effect of various packaging materials on storage stability of refined, bleached, deodorized palm oil, 854
NOGUCHI, A. See Isobe, S.
NOJIMA, T., K. Esumi, and K. Meguro. Association of nonionic polymer with hydrocarbon/fluorocarbon surfactant in aqueous solution, 64
NORAINI, I., A. Abdullah, and A.H. Halim. Evaluation of palm oil quality: Correlating sensory with chemical analyses, 272
M.S. Embong, A. Abdullah, and F.C.H. Oh. Characteristics and performance of some commercial shortenings, 912
H. Hassan, F.C.H. Oh, and N. Sudin. Resistance to crystallization of blends of palm olein with soybean oil stored at various temperatures, 1206
NOUREDDINI, H., B.C. Teoh, and L.D. Clements. Viscosities of vegetable oils and fatty acids, 1189
and B.C. Teoh, and L.D. Clements. Densities of vegetable oils and fatty acids, 1184
NOUROOZ-ZADEH, J., and L-Å. Appelqvist. Isolation and quantitative determination of sterol oxides in plant-based foods: Soybean oil and wheat flour, 288
NOVAK, G. See Bornaz, S.
NWADIMKPA, C.U. See Inyang, U.E.
NWAONICHA, C.P. See Bryant, K.A.A.
NWOSU, C.V. See Akoh, C.C.

O

O'CONNOR, C.J., S.F. Petricevic, J.M. Coddington, and R.A. Stanley. An NMR assay for quantitating lipase activity in biphasic macroemulsions, 295
OGLE, L.D. See Naylor, C.G.
OH, F.C.H. See NorAini, I.
OH, L.L. See Liew, K.Y.
OHLSON, R. Modern processing of rapeseed, 195
OHNO, M., K. Esumi, and K. Meguro. Aqueous solution properties of a silicone surfactant and its mixed surfactant systems, 80
OKAHARA, M. See Zhu, Y-P.
OKAMOTO, T. See Akihisa, T.
OKANO, T., J. Tanabe, M. Fukuda, and M. Tanaka. α-Sulfonated fatty acid esters: I. Structural effects of sodium α-sulfonated fatty acid higher alcohol esters on surface-active properties and emulsification ability, 44
OLÍAS, J.M. See Gutiérrez-Rosales, F.
OLIVIER, C.K. See Georges, A.N.
OMURA, K. Chemistry on the decay of the phenoxy radical from butylated hydroxytoluene, 461
ONG, S.H. See Ho, C.C.
OOI, K.S. See Gan, L.H.
OREOPOULOU, V. See Banias, C.
ORMAN, B.A., and R.A. Schumann, Jr. Nondestructive single-kernel oil determination of maize by near-infrared transmission spectroscopy, 1036
ORMSBEE, R.A. See Maza, A.
OSANU, F.C. See Nkpa, N.N.
OSAWA, T., and T. Shibamoto. Analysis of free malonaldehyde formed in lipid peroxidation systems *via* a pyrimidine derivative, 466
OSMAN, S.F. See Gérard, H.C.
See Khan, M.W.Y.
See Saeed, M.T.
ØVERBØ, K. See Burkow, I.C.

P

PALANIAPPAN, S. See Proctor, A.
PARK, P.S.W. See Kim (Lee), S.Y.
PARMENTIER, M. See Bornaz, S.
PECNIK, S., and Z. Knez. Enzymatic fatty ester synthesis, 261
PELLETIER, G. See Ratnayake, W.M.N.
PERDIGUERO, S. See Gutierrez, F.
See Gutierrez-Rosales, F.
PÉREZ-CAMINO, M.C. See Márquez-Ruiz, G.
PERINE, J.W. See Crutcher, T.
PERKINS, E.G. See Engeseth, N.J.
PETERSEN, S. See Vorderwülbecke, T.
PETERSON, R.E. See Knothe, G.
PETRICEVIC, S.F. See O'Connor, C.J.
PEYPOUX, F. See Thimon, L.
PFANNKOCH, E.A. See Chapman, D.M.
PIACENTI, D. See Serani, A.
PIASECKI, A. Alkoxyalkyl-substituted glycerol acetals: New hydrophobic intermediates for surfactant synthesis, 639
See Sokołowski, A.
PIAZZA, G.J., A. Bilyk, D.P. Brower, and M.J. Haas. The positional and fatty acid selectivity of oat seed lipase in aqueous emulsions, 978
See Bilyk, A.
PIIRONEN, V.I. See Hopia, A.I.
PILOSOF, A.M. See López de Ogara, M.C.
PINTAURO, P.N. See Yusem, G.J.
PLATTNER, R.D. See Lanser, A.C.
POCKLINGTON, W.D. Determination of tetrachloroethylene—results of a collaborative study and the standardized method, 789
POMEROY, M.K. See Taylor, D.C.
POUTANEN, K. See Forssell, P.
POVEY, M.J.W. See Cebula, D.J.
PRABHAKAR, J.V. See Gopala Krishna, A.G.
PRIETO, J.A., A. Ebri, and C. Collar. Optimized separation of nonpolar and polar lipid classes from wheat flour by solid-phase extraction, 387
A. Ebri, and C. Collar. Composition and distribution of individual molecular species of major glycolipids in wheat flour, 1019
PROCTOR, A., L.C. Tan, and S. Palaniappan. Phospholipid adsorption onto rice hull ash from soy oil miscellas, 1049

Q

QI, H. See Mazza, G.
QUAGLINO, M., N. Bottazzini, C. Querci, M. Ricci, and S. Cavalli. Ion chromatographic determination of phosphorus and tungsten in epoxidized soybean oil, 1248
QUERCI, C. See Quaglino, M.

R

RAC, M. See Lević, J.
RADY, A.H. See Schwartz, D.P.
RAJKUMAR, A.B. See Kumarathasan, R.
RASHEED, K. See Herke, R.
RASMUSSEN, G.K. See Sanders, T.H.
RATNAYAKE, W.M.N. AOCS method Ce 1c-89 underestimates the *trans*-octadecenoate content in favor of the *cis* isomers in partially hydrogenated vegetable oils, 192
and G. Pelletier. Positional and geometrical isomers of linoleic acid in partially hydrogenated oils, 95
RAUF, A. See Khan, M.W.Y.
See Saeed, M.T.
RAVI KUMAR, Y.V.L. See Dutt, N.V.K.
RAZAK, C.N.A. See Basri, M.
REBOA, P.F., and M.C. Fryan. Rheological prediction of the physical stability of concentrated dispersions containing particulates, 71
REBROVIC, L. The peroxidic species generated by ozonolysis of oleic acid or methyl oleate in a carboxylic acid medium, 159
RENNICK, K.A. See Mounts, T.L.
REYNAERS, H. See Kellens, M.
RHEE, K.C. See Kim (Lee), S.Y.
RIBOSA, I. See García, M.T.
RICCI, M. See Quaglino, M.
RIESS, J.G. See Abouhilale, S.
RINSCH, W. See Neff, W.E.
RIVAROLA, G.J. See Herrera, M.L.
ROBINSON, P.L. C-21 dicarboxylic acids in soap and detergent applications, 52
RODRIGO, M.T., and S. Mendioroz. A new catalyst for the selective hydrogenation of sunflower seed oil, 802
ROMANO, R.R. See Naylor, C.G.
ROSEN, M.J., Z.H. Zhu, and X.Y. Hua. Relationship of structure to properties of surfactants. 16. Linear decyldiphenylether sulfonates, 30
and Z.H. Zhu. The stability of sodium hypochlorite in the presence of surfactants, 667
See Zhu, Y-P.
ROTHFUS, J.A. See Hagemann, J.W.
ROY, D.J. See Eads, T.M.
RUSNAC, L.M., O. Floarea, and R.V. Vladea. Continuous hydrogenation of vegetable oils in reactors equipped with static mixers, 384
RYAN, T.W., III See Knothe, G.

S

SAEED, M.T., J. Mustafa, A. Rauf, and S.M. Osman. Derivatization of keto fatty acids: Part XIII—synthesis of methyl hexahydro-3-alkyl-6-thioxo-1,2,4,5-tetrazine-3-alkanoates, 396
J. Mustafa, A. Rauf, and S.M. Osman. Novel derivatives of methyl hexahydro-3-methyl-6-thioxo-1,2,4,5-tetrazine-3-nonanoate, 481
See Khan, M.W.Y.
SAHASHI, N. See Akihisa, T.
SAHASHI, Y. See Yamane, T.
SAHIN, E. See Dandik, L.
SAITO, H., and M. Udagawa. Assessment of oxidative deterioration of salted dried fish by nuclear magnetic resonance, 1157
SALIVARAS, E., and A.R. McCurdy. Detection of olive oil adulteration with canola oil from triacylglycerol analysis by reversed-phase high-performance liquid chromatography, 935
SALLEH, A.B. See Basri, M.
SÁNCHEZ, N., M. Martinez, J. Aracil, and A. Corma. Synthesis of oleyl oleate as a jojoba oil analog, 1150
SÁNCHEZ LEAL, J. See García, M.T.
SANCHEZ-MUNIZ, F.J. See Arroyo, R.
SANDERS, R.A., D.R. Gardner, M.P. Lacey, and T. Keough. Desorption mass spectrometry of olestra, 760
See Gardner, D.R.
See Henry, D.E.
SANDERS, T.H., J.R. Vercellotti, K.L. Crippen, R.T. Hinsch, G.K. Rasmussen, and J.H. Edwards. Quality factors in exported peanuts from Argentina, China and the United States, 1032
SANTINELLI, F., P. Damiani, and W.W. Christie. The triacylglycerol structure of olive oil determined by silver ion high-performance liquid chromatography in combination with stereospecific analysis, 552
SARADA, R., and R. Joseph. Purification and properties of lipase from the anaerobe *Propionibacterium acidi-propionici*, 974
SARBAH-YALLEY, E., F.O. Ayorinde, and B.E. Eribo. Biodegradation of *Vernonia galamensis* seed oil by *Acinetobacter* and *Pseudomonas* sp., 1046
SATO, K. See Watanabe, A.
SATSUKI, T., K. Umehara, and Y. Yoneyama. Performance and physicochemical properties of α-sulfo fatty acid methyl esters, 672
SAUER, J.D. See Crutcher, T.
SAUER, R.M., J.R. See Artz, W.E.
SCARTH, R. See Ward, K.
SCHMID, R.D. See Yamaoka, M.
SCHNEIDER, K. Perplexity on fatty acid identification in purslane (*Portulaca oleracea*) tissues, 194
SCHNEIDER, M.P. See Berger, M.
SCHUMANN, R.A., J.R. See Orman, B.A.
SCHWARTZ, D.P., and A.H. Rady. Quantitation and occurrence of hydroxy fatty acids in fats and oils, 170
SEABORN, G.T. See Nilsson, W.B.
SEDMAN, J. See van de Voort, F.R.
SEGURA, J.A. See Herrera, M.L.
SELKE, E. See Neff, W.E.
SENG, C.E. See Liew, K.Y.
SENGUPTA, R., and D.K. Bhattacharyya. A comparative study between biorefining combined with other processes and physical refining of high-acid mohua oil, 1146
SERANI, A., and D. Piacenti. Kinetics of pheophytin-A photodecomposition in extra virgin olive oil, 469
SESSA, D.J., and C. Lim. Effect of feeding soy products with varying trypsin inhibitor activities on growth of shrimp, 209
SEWALT, J.J.W. See van der Padt, A.
SHAHIDI, F., and M. Naczk. An overview of the phenolics of canola and rapeseed: Chemical, sensory and nutritional significance, 917
SHANI, A. See Devshony, S.
SHANTHA, N.C., E.A. Decker, and Z. Ustunol. Conjugated linoleic acid concentration in processed cheese, 425
SHELDON, B. See Boyd, L.C.
SHARMA, M.M. See Chakrabarti, A.
SHELDON, B.W. See King, M.F.
SHI, H. See Chen, Q.
SHIBAMOTO, T. See Niyati-Shirkhodaee, F.
See Osawa, T.
SHIMIZU, S. See Jareonkitmongkol, S.
SHOEMAKER, R.C. See Diers, B.W.
SIEW, W.L., and N. Mohamad. The effect of fruit storage on palm oil bleachability, 1266
SILBERT, L.S. See Foglia, T.A.
SILVER, A.H., and H.T. Kalinoski. Comparison of high-temperature gas chromatography and CO_2 supercritical fluid chromatography for the analysis of alcohol ethoxylates, 599
SIMAMAHARNNOP, R. See Krisnangkura, K.
SIMARD, R.E. See Georges, A.N.
SMIDOVNIK, A., A. Stimac, and J. Kobe. Catalytic transfer hydrogenation of soybean oil, 405
SMITH, K.R. See Crutcher, T.
SMITH, K.W. See Cebula, D.J.
SMITH, P.R. See Cebula, D.J.
SMITH, P.W.R. ^{13}C NMR spectroscopic characterization of trimethylol propane ester lubricants, 352
SNYDER, H.E. See Adhikari, C.
SOKHANSANJ, S. See Lang, W.
SOKOŁOWSKI, A., A. Piasecki, and B. Burczyk. Synthesis and surface properties of chemodegradable anionic surfactants: Sodium salts of sulfated 2-*n*-alkyl-5-hydroxymethyl-5-methyl-1,3-dioxanes, 633
SOSULSKI, F.W. See Lang, W.
SOULIER, J. See Comes, F.
SOVILJ, M. See Karlovic, D.

SREEDHARA, N., C. Arumughan, and C.S. Narayanan. Dehulling of palm kernel of oil palm (*Elaeis guineensis*) to obtain superior-grade palm kernel flour and oil, 1015
SRIDHAR, R., and G. Lakshminarayana. Incorporation of eicosapentaenoic and docosahexaenoic acids into groundnut oil by lipase-catalyzed ester interchange, 1041
STANLEY, R.A. See O'Connor, C.J.
STAPERSMA, J., H.H. Deuling, and R. van Ginkel. Hydroxy alkane sulfonate (HAS), a new surfactant based on olefins, 39
STEFANOVIĆ, S. See Lević, J.
STEIGER, P.H. See Jasperse, J.L.
STIMAC, A. See Smidovnik, A.
STRECKER, L.R. See Maza, A.
SUBBARAO, R. See Mhaskar, S.Y.
SUDIN, N. See NorAini, I.
SUMATHI VEDANAYAGAM, H. See Dutt, N.V.K.
SUORTTI, T. See Forssell, P.
SUZUKI, T. See Yamane, T.
SVENSSON, I., P. Adlercreutz, and B. Mattiasson. Lipase-catalyzed transesterification of phosphatidylcholine at controlled water activity, 986
SYED-RAHMATULLAH, M.S.K. See Lie Ken Jie, M.S.F.

T

TAKAGI, T. See Ando, Y.
TAKAHASHI, S. See Akihisa, T.
TALBOT, J-M. See Wilkes, A.J.
TALLMADGE, D.H. See Gardner, D.R.
See Henry, D.E.
TAMURA, Ta. See Akihisa, T.
TAMURA, To. See Boki, K.
TAN, L.C. See Proctor, A.
TANABE, J. See Okano, T.
TANAKA, M. See Okano, T.
TANAKA, Y., J. Hirano, and T. Funada. Concentration of docosahexaenoic acid in glyceride by hydrolysis of fish oil with *Candida cylindracea* lipase, 1210
TANDE, T., H. Breivik, and T. Aasoldsen. Validation of a method for gas chromatographic analysis of eicosapentaenoic acid and docosahexaenoic acid as active ingredients in medicinal products, 1124
TANG, T.S. See Cheah, K.Y.
TASHIMA, I. See Watanabe, A.
TASIOULA-MARGARI, M., and I.N. Demetropoulos. Viscosity-structure relationship of dilute triglycerides' solutions. Correlation to retention time in reversed-phase liquid chromatography, 1112
TATSUMI, M. See Yoshida, H.
TAUTORUS, C.L., and A.R. McCurdy. The effect of randomization on the stability of blends or trioleoylglycerol and linseed oil, 538
TAYLOR, D.C., N. Weber, L.R. Hogge, E.W. Underhill, and M.K. Pomeroy. Formation of trierucoylglycerol (trierucin) from 1,2-dierucoylglycerol by a homogenate of microspore-derived embryos of *Brassica napus* L., 355
TAYLOR, F., M.J. Kurantz, and J.C. Craig, Jr. Kinetics of continuous hydrolysis of tallow in a multi-layered flat-plate immobilized-lipase reactor, 591
TEOH, B.C. See Noureddini, H.
THIMON, L., F. Peypoux, R. Maget-Dana, and G. Michel. Surface-active properties of antifungal lipopeptides produced by *Bacillus subtilis*, 92
THOMOPOULOS, C.D. See Banias, C.
THORISSON, S., F. Gunstone, and R. Hardy. The antioxidant properties of ethoxyquin and of some of its oxidation products in fish oil and meal, 806
THORSTEINSON, C.T. See Endo, Y.
TOBA, M. See Cheah, K.Y.
TUNÇ, F. See Güler, Ç.
TURKULOV, J. See Karlovic, D.

U

UCCIANI, E. See Chevolleau, S.
UDAGAWA, M. See Saito, H.
UEMURA, K. See Isobe, S.
ULBERTH, F., and M. Henninger. One-step extraction/methylation method for determining the fatty acid composition of processed foods, 174
and M. Henninger. Simplified method for the determination of *trans* monoenes in edible fats by TLC-GLC, 829
UMEHARA, K. See Satsuki, T.
UNDERHILL, E.W. See Taylor, D.C.
USTUNOL, Z. See Shantha, N.C.

V

VAN DAM, E.M. See van der Padt, A.
VAN DE VOORT, F.R., J. Sedman, G. Emo, and A.A. Ismail. Rapid and direct iodine value and saponification number determination of fats and oils by attenuated total reflectance/Fourier transform infrared spectroscopy, 1118
VAN DER PADT, A., J.T.F. Keurentjes, J.J.W. Sewalt, E.M. van Dam, L.J. van Dorp, and K. van' t Riet. Enzymatic synthesis of monoglycerides in a membrane bioreactor with and in-line adsorption column, 748
VAN DORP, L.J. See van der Padt, A.
VAN GINKEL, R. See Stapersma, J.
VAN' T RIET, K. See van der Padt, A.
VANDAMME, F.F. See Wolff, R.L.
VASKOVSKY, V.E., and S.V. Khotimchenko. Chemotaxonomic approach protects against mistakes in polyunsaturated fatty acid analyses in plants, 598
VERCELLOTTI, J.R. See Sanders, T.H.
VIANO, J. See Gaydou, E.M.
VIKERSVEEN, L. See Yamane, T.
VLADEA, R.V. See Rusnac, L.M.
VORDERWÜLBECKE, T., M. Epple, H.K. Cammenga, S. Petersen, and K. Kieslich. Racemic lactones from butterfat: An advanced approach that includes stereodifferentiation, 797

W

WA MUANDA, M. See Wan, P.J.
WADA, T. See Boki, K.
WAKIUCHI, N. See Xu, S.R.
WALRAVEN, G. See Wilkes, A.J.
WAN, P.J., M. wa Muanda, and J.E. Covey. Ultrasonic *vs.* nonultrasonic hydrogentation in a batch reactor, 876
See Hasenhuettl, G.L.
See Kuk, M.S.
WANG, C.W. See Chong, C.N.
WANG, H.R. See Chen, K.M.
WARD, K., R. Scarth, and J.K. Daun. The effect of freezing on the analysis of chlorophyll content of canola seed (*Brassica napus* L.), 1039
WARD, O.P. See Yongmanitchai, W.
WATANABE, A., I. Tashima, N. Matsuzaki, J. Kurashige, and K. Sato. On the formation of granular crystals in fat blends containing palm oil, 1077
WEBER, N. See Taylor, D.C.
WEEKS, J.A. See Naylor, C.G.
WHARTON, H.W. See Gardner, D.R.
WHEELER, H.G. See Knothe, G.
WHITE, P.J. See Liu, H-R.
WHITE, T.M. See Maheshwari, P.
WHITING, G.S. See Abraham, M.H.

AUTHOR INDEX

WILKES, A.J., G. Walraven, and J-M. Talbot. HPLC analysis of quaternary ammonium surfactants with the evaporative light scattering detector, 609
WOLFF, R.L. *trans*-Polyunsaturated fatty acids in French edible rapeseed and soybean oils, 106
and F.F. Vandamme. Separation of petroselinic (*cis*-6 18:1) and oleic (*cis*-9 18:1) acids by gas-liquid chromatography of their isopropyl esters, 1228
WONG, K.P. See Lie Ken Jie, M.S.F.
WU, C.-M., and S.-Y. Chen. Volatile compounds in oils after deep frying or stir frying and subsequent storage, 858

X

XU, S.R., T. Matsuo, G. Danno, N. Wakiuchi, and S. Fujii. Fate of minor free amino acids and phospholipids in crude tallow during steam splitting, 1043

Y

YAMADA, H. See Jareonkitmongkol, S.
YAMANE, T., T. Suzuki, Y. Sahashi, L. Vikersveen, and T. Hoshino. Production of n-3 polyunsaturated fatty acid-enriched fish oil by lipase-catalyzed acidolysis without solvent, 1104
YAMAOKA, M., J. Fortkamp, M. Morr, and R.D. Schmid. The effect of 2,4,6,8-tetramethyldecanoic acid on the hydrolysis and acylation of phospholipid by lipase in isooctane, 826
YANG, M.H., S.C. Chang, and R.H. Chen. Effect of solvent polarity and fractionation temperature on the physicochemical properties of squid viscera stearin, 1192
YATES, R.A., and J.D. Caldwell. Adsorptive capacity of active filter aids for used cooking oil, 894
YEH, D.-B. See Duh, P.-D.
YEN, G.-C. See Duh, P.-D.
YONEYAMA, Y. See Satsuki, T.
YONGMANITCHAI, W., and O.P. Ward. Growth and eicosapentaenoic acid production by *Phaeodactylum tricornutum* in batch and continuous culture systems, 584
YOSHIDA, H., M. Tatsumi, and G. Kajimoto. Influence of fatty acids on the tocopherol stability in vegetable oils during microwave heating, 119
I. Kondo, and G. Kajimoto. Participation of free fatty acids in the oxidation of purified soybean oil during microwave heating, 1136
YUNUS, W.M.Z. See Basri, M.
YUSEM, G.J., and P.N. Pintauro. The electrocatalytic hydrogenation of soybean oil, 399

Z

ZAKI SELIM, I. See El-Shami, S.M.
ZEITOUN, M.A.M. See Neff, W.E.
ZHOU, Q.H., V. Klekner, and N. Kosaric. Production of sophorose lipids by *Torulopsis bombicola* from safflower oil and glucose, 89
ZHU, Y.-P., A. Masuyama, Y.-I. Kirito, M. Okahara, and M.J. Rosen. Preparation and properties of glycerol-based double- or triple-chain surfactants with two hydrophilic ionic groups, 626
ZHU, Z.H. See Rosen, M.J.
ZINKEL, D.F. See Magee, T.V.
ZUBER, F. See Isobe, S.